
TEST BANK



Basic Business Statistics, 12e (Berenson/Levine/Krehbiel/Stephan) Chapter 2 Organizing and Visualizing Data

Chapter 2 Questions

- 1) Jared was working on a project to look at global warming and accessed an Internet site where he captured average global surface temperatures from 1866. Which of the four methods of data collection was he using?
- A) Published sources
- B) Experimentation
- C) Surveying
- D) Observation

Answer: A

Difficulty: Easy

Keywords: sources of data

- 2) The British Airways Internet site provides a questionnaire instrument that can be answered electronically. Which of the 4 methods of data collection is involved when people complete the questionnaire?
- A) Published sources
- B) Experimentation
- C) Surveying
- D) Observation

Answer: C

Difficulty: Easy

Keywords: sources of data

- 3) A marketing research firm, in conducting a comparative taste test, provided three types of peanut butter to a sample of households randomly selected within the state. Which of the 4 methods of data collection is involved when people are asked to compare the three types of peanut butter?
- A) Published sources
- B) Experimentation
- C) Surveying
- D) Observation

Answer: B

Difficulty: Easy

Keywords: sources of data

- 4) Tim was planning for a meeting with his boss to discuss a raise in his annual salary. In preparation, he wanted to use the Consumer Price Index to determine the percentage increase in his real (inflation-adjusted) salary over the last three years. Which of the 4 methods of data collection was involved when he used the Consumer Price Index?
- A) Published sources
- B) Experimentation
- C) Surveying
- D) Observation

Answer: A Difficulty: Easy

Keywords: sources of data

- 5) Which of the 4 methods of data collection is involved when a person counts the number of cars passing designated locations on the Los Angeles freeway system?
- A) Published sources
- B) Experimentation
- C) Surveying
- D) Observation

Answer: D

Difficulty: Moderate

Keywords: sources of data

- 6) A statistics student found a reference in the campus library that contained the median family incomes for all 50 states. She would report her data as being collected using
- A) a designed experiment.
- B) observational data.
- C) a random sample.
- D) a published source.

Answer: D
Difficulty: Easy

Keywords: sources of data

- 7) The personnel director at a large company studied the eating habits of the company's employees. The director noted whether employees brought their own lunches to work, ate at the company cafeteria, or went out to lunch. The goal of the study was to improve the food service at the company cafeteria. This type of data collection would best be considered as
- A) an observational study.
- B) a designed experiment.
- C) a random sample.
- D) a quota sample.

Answer: A

Difficulty: Easy

Keywords: sources of data

- 8) A study attempted to estimate the proportion of Florida residents who were willing to spend more tax dollars on protecting the beaches from environmental disasters. Twenty-five hundred Florida residents were surveyed. What type of data collection procedure was most likely used to collect the data for this study?
- A) A designed experiment
- B) A published source
- C) A random sample
- D) Observational data

Answer: C Difficulty: Easy

Keywords: sources of data

TABLE 2-1

An insurance company evaluates many numerical variables about a person before deciding on an appropriate rate for automobile insurance. A representative from a local insurance agency selected a random sample of insured drivers and recorded, *X*, the number of claims each made in the last 3 years, with the following results.

| <u>X</u> | f |
|----------|----|
| 1 | 14 |
| 2 | 18 |
| 3 | 12 |
| 4 | 5 |
| 5 | 1 |

- 9) Referring to Table 2-1, how many drivers are represented in the sample?
- A) 5
- B) 15
- C) 18
- D) 50

Answer: D
Difficulty: Easy

Keywords: frequency distribution

- 10) Referring to Table 2-1, how many total claims are represented in the sample?
- A) 15
- B) 50
- C) 111
- D) 250

Answer: C

Difficulty: Moderate

Keywords: interpretation, frequency distribution

- 11) A type of vertical bar chart in which the categories are plotted in the descending rank order of the magnitude of their frequencies is called a
- A) contingency table.
- B) Pareto chart.
- C) stem-and-leaf display.
- D) pie chart.Answer: BDifficulty: Easy

Keywords: Pareto chart

TABLE 2-2

At a meeting of information systems officers for regional offices of a national company, a survey was taken to determine the number of employees the officers supervise in the operation of their departments, where *X* is the number of employees overseen by each information systems officer.

| X | f |
|---|----|
| 1 | 7 |
| 2 | 5 |
| 3 | 11 |
| 4 | 8 |
| 5 | 9 |

- 12) Referring to Table 2-2, how many regional offices are represented in the survey results?
- A) 5
- B) 11
- C) 15
- D) 40

Answer: D

Difficulty: Easy

Keywords: interpretation, frequency distribution

- 13) Referring to Table 2-2, across all of the regional offices, how many total employees were supervised by those surveyed?
- A) 15
- B) 40
- C) 127
- D) 200

Answer: C

Difficulty: Moderate

Keywords: interpretation, frequency distribution

14) The width of each bar in a histogram corresponds to the

A) differences between the boundaries of the class.

B) number of observations in each class.

C) midpoint of each class.


D) percentage of observations in each class.

Answer: A Difficulty: Easy

Keywords: frequency distribution

TABLE 2-3

Every spring semester, the School of Business coordinates a luncheon with local business leaders for graduating seniors, their families, and friends. Corporate sponsorship pays for the lunches of each of the seniors, but students have to purchase tickets to cover the cost of lunches served to guests they bring with them. The following histogram represents the attendance at the senior luncheon, where X is the number of guests each graduating senior invited to the luncheon and f is the number of graduating seniors in each category.



15) Referring to the histogram from Table 2-3, how many graduating seniors attended the luncheon?

A) 4

B) 152

C) 275

D) 388

Answer: C

Explanation: C) The number of graduating seniors is the sum of all the frequencies, f.

Difficulty: Difficult

Keywords: interpretation, histogram

16) Referring to the histogram from Table 2-3, if all the tickets purchased were used, how many guests attended the luncheon?

A) 4 B) 152

C) 275

D) 388


Answer: D

Explanation: D) The total number of guests is $\sum_{i=1}^{6} X_i f_i$

Difficulty: Difficult

Keywords: interpretation, histogram

17) A professor of economics at a small Texas university wanted to determine what year in school students were taking his tough economics course. Shown below is a pie chart of the results. What percentage of the class took the course prior to reaching their senior year?



- A) 14%
- B) 44%
- C) 54%
- D) 86%

Answer: D

Difficulty: Easy

Keywords: interpretation, pie chart

- 18) When polygons or histograms are constructed, which axis must show the true zero or "origin"?
- A) The horizontal axis
- B) The vertical axis
- C) Both the horizontal and vertical axes
- D) Neither the horizontal nor the vertical axis

Answer: B

Difficulty: Easy

Keywords: polygon, histogram

- 19) When constructing charts, the following is plotted at the class midpoints:
- A) frequency histograms.
- B) percentage polygons.
- C) cumulative percentage polygon (ogives).
- D) All of the above.

Answer: B Difficulty: Easy

Keywords: percentage polygons

TABLE 2-4

A survey was conducted to determine how people rated the quality of programming available on television. Respondents were asked to rate the overall quality from 0 (no quality at all) to 100 (extremely good quality). The stem-and-leaf display of the data is shown below.

| Stem | Leaves |
|------|----------|
| 3 | 2 4 |
| 4 | 03478999 |
| 5 | 0112345 |
| 6 | 12566 |
| 7 | 0 1 |
| 8 | |
| 9 | 2 |

- 20) Referring to Table 2-4, what percentage of the respondents rated overall television quality with a rating of 80 or above?
- A)0
- B) 4
- C) 96
- D) 100

Answer: B
Difficulty: Fass

Difficulty: Easy

Keywords: stem-and-leaf display, interpretation

- 21) Referring to Table 2-4, what percentage of the respondents rated overall television quality with a rating of 50 or below?
- A) 11
- B) 40
- C) 44
- D) 56

Answer: C

Difficulty: Moderate

Keywords: stem-and-leaf display, interpretation

- 22) Referring to Table 2-4, what percentage of the respondents rated overall television quality with a rating from 50 through 75?
- A) 11 B) 40 C) 44

D) 56 Answer: D

Difficulty: Moderate

Keywords: stem-and-leaf display, interpretation

TABLE 2-5

The following are the duration in minutes of a sample of long-distance phone calls made within the continental United States reported by one long-distance carrier.

| | Relative |
|--------------------------|-----------|
| <u>Time (in Minutes)</u> | Frequency |
| 0 but less than 5 | 0.37 |
| 5 but less than 10 | 0.22 |
| 10 but less than 15 | 0.15 |
| 15 but less than 20 | 0.10 |
| 20 but less than 25 | 0.07 |
| 25 but less than 30 | 0.07 |
| 30 or more | 0.02 |
| | |

- 23) Referring to Table 2-5, what is the width of each class?
- A) 1 minute
- B) 5 minutes
- C) 2%
- D) 100% Answer: B Difficulty: Easy

Keywords: class interval, relative frequency distribution

- 24) Referring to Table 2-5, if 1,000 calls were randomly sampled, how many calls lasted under
- 10 minutes?
- A) 220B) 370
- C) 410
- D) 590
- Answer: D

Difficulty: Moderate

Keywords: relative frequency distribution, interpretation

25) Referring to Table 2-5, if 100 calls were randomly sampled, how many calls lasted 15 minutes or longer?

A) 10

B) 14

C) 26

D) 74

Answer: C

Difficulty: Moderate

Keywords: relative frequency distribution, interpretation

26) Referring to Table 2-5, if 10 calls lasted 30 minutes or more, how many calls lasted less than 5 minutes?

A) 10

B) 185

C) 295

D) 500

Answer: B

Difficulty: Moderate

Keywords: relative frequency distribution, interpretation

27) Referring to Table 2-5, what is the cumulative relative frequency for the percentage of calls that lasted under 20 minutes?

A) 0.10

B) 0.59

C) 0.76

D) 0.84

Answer: D

Difficulty: Easy

Keywords: cumulative relative frequency

28) Referring to Table 2-5, what is the cumulative relative frequency for the percentage of calls that lasted 10 minutes or more?

A) 0.16

B) 0.24

C) 0.41

D) 0.90

Answer: C

Difficulty: Moderate

Keywords: cumulative relative frequency

| 29) Referring to Table 2-5, if 100 calls were randomly sampled, lasted at least 15 minutes but less than 20 minutes. A) 6 B) 8 C) 10 D) 16 Answer: C Difficulty: Easy Keywords: relative frequency distribution, interpretation | of them would have |
|--|--------------------------------|
| 30) Referring to Table 2-5, if 100 calls were sampled, than 15 minutes. A) 26 B) 74 C) 10 D) None of the above Answer: B | of them would have lasted less |
| Difficulty: Moderate | |
| Keywords: relative frequency distribution, interpretation | |
| 31) Referring to Table 2-5, if 100 calls were sampled, minutes or more. A) 26 B) 16 C) 74 D) None of the above Answer: B Difficulty: Moderate Keywords: relative frequency distribution, interpretation | of them would have lasted 20 |
| 32) Referring to Table 2-5, if 100 calls were sampled, than 5 minutes or at least 30 minutes or more. A) 35 B) 37 C) 39 | of them would have lasted less |
| D) None of the above | |
| Answer: C | |
| Difficulty: Difficult Keywords: relative frequency distribution, interpretation | |
| ixcywords. Telanye frequency distribution, interpretation | |

- 33) Which of the following is appropriate for displaying data collected on the different brands of cars students at a major university drive?
- A) A Pareto chart
- B) A two-way classification table
- C) A histogram
- D) A scatter plot

Answer: A Difficulty: Easy

Keywords: Pareto diagram

- 34) One of the developing countries is experiencing a baby boom, with the number of births rising for the fifth year in a row, according to a BBC News report. Which of the following is best for displaying this data?
- A) A Pareto chart
- B) A two-way classification table
- C) A histogram
- D) A time-series plot

Answer: D
Difficulty: Easy

Keywords: time-series plot

- 35) When studying the simultaneous responses to two categorical questions, you should set up a
- A) contingency table.
- B) frequency distribution table.
- C) cumulative percentage distribution table.
- D) histogram.Answer: ADifficulty: Easy

Keywords: contingency table

- 36) Data on 1,500 students' height were collected at a larger university in the East Coast. Which of the following is the best chart for presenting the information?
- A) A pie chart
- B) A Pareto chart
- C) A side-by-side bar chart
- D) A histogram

Answer: D

Difficulty: Easy

Keywords: choice of chart, histogram

- 37) Data on the number of part-time hours students at a public university worked in a week were collected. Which of the following is the best chart for presenting the information?
- A) A pie chart
- B) A Pareto chart
- C) A percentage table
- D) A percentage polygon

Answer: D Difficulty: Easy

Keywords: choice of chart, percentage polygon

- 38) Data on the number of credit hours of 20,000 students at a public university enrolled in a spring semester were collected. Which of the following is the best for presenting the information?
- A) A pie chart
- B) A Pareto chart
- C) A stem-and-leaf display
- D) A contingency table

Answer: C Difficulty: Easy

Keywords: choice of chart, stem-and-leaf

- 39) A survey of 150 executives were asked what they think is the most common mistake candidates make during job interviews. Six different mistakes were given. Which of the following is the best for presenting the information?
- A) A bar chart
- B) A histogram
- C) A stem-and-leaf display
- D) A contingency table

Answer: A Difficulty: Easy

Keywords: choice of chart, bar chart

- 40) You have collected information on the market share of 5 different search engines used by U.S. Internet users in January 2011. Which of the following is the best for presenting the information?
- A) A pie chart
- B) A histogram
- C) A stem-and-leaf display
- D) A contingency table

Answer: A
Difficulty: Easy

Keywords: choice of chart, pie chart

- 41) You have collected information on the consumption by the 15 largest coffee-consuming nations. Which of the following is the best for presenting the shares of the consumption?
- A) A pie chart
- B) A Pareto chart
- C) A side-by-side bar chart
- D) A contingency table

Answer: B

Explanation: B) Even though a pie chart can also be used, the Pareto chart is preferable for separating the "vital few" from the "trivial many".

Difficulty: Moderate

Keywords: choice of chart, Pareto chart

- 42) You have collected data on the approximate retail price (in \$) and the energy cost per year (in \$) of 15 refrigerators. Which of the following is the best for presenting the data?
- A) A pie chart
- B) A scatter plot
- C) A side-by-side bar chart
- D) A contingency table

Answer: B Difficulty: Easy

Keywords: choice of chart, scatter chart

- 43) You have collected data on the number of U.S. households actively using online banking and/or online bill payment from 1995 to 2010. Which of the following is the best for presenting the data?
- A) A pie chart
- B) A stem-and-leaf display
- C) A side-by-side bar chart
- D) A time-series plot

Answer: D Difficulty: Easy

Keywords: choice of chart, time-series plot

- 44) You have collected data on the monthly seasonally adjusted civilian unemployment rate for the United States from 1998 to 2010. Which of the following is the best for presenting the data?
- A) A contingency table
- B) A stem-and-leaf display
- C) A time-series plot
- D) A side-by-side bar chart

Answer: C Difficulty: Easy

Keywords: choice of chart, time-series plot

- 45) You have collected data on the number of complaints for 6 different brands of automobiles sold in the US in 2006 and in 2010. Which of the following is the best for presenting the data?
- A) A contingency table
- B) A stem-and-leaf display
- C) A time-series plot
- D) A side-by-side bar chart

Answer: D

Difficulty: Moderate

Keywords: choice of chart, side-by-side bar chart

- 46) You have collected data on the responses to two questions asked in a survey of 40 college students majoring in business \square What is your gender? (Male = M; Female = F) and What is your major? (Accountancy = A; Computer Information Systems = C; Marketing = M). Which of the following is the best for presenting the data?
- A) A contingency table
- B) A stem-and-leaf display
- C) A time-series plot
- D) A Pareto chart

Answer: A

Difficulty: Moderate

Keywords: choice of chart, contingency table

TABLE 2-6

A sample of 200 students at a Big-Ten university was taken after the midterm to ask them whether they went bar hopping the weekend before the midterm or spent the weekend studying, and whether they did well or poorly on the midterm. The following table contains the result.

| | | Did Poorly in |
|-------------------|---------------------|---------------|
| | Did Well in Midterm | Midterm |
| Studying for Exam | 80 | 20 |
| Went Bar Hopping | 30 | 70 |

- 47) Referring to Table 2-6, of those who went bar hopping the weekend before the midterm in the sample, _____ percent of them did well on the midterm.
- A) 15
- B) 27.27
- C) 30
- D) 55

Answer: C


Difficulty: Easy

Keywords: contingency table, interpretation

| 48) Referring to Table 2-6, of those who did well on the midterm in the sample, percent of them went bar hopping the weekend before the midterm. A) 15 |
|--|
| B) 27.27 |
| C) 30 |
| D) 50 |
| Answer: B |
| Difficulty: Easy |
| Keywords: contingency table, interpretation |
| 49) Referring to Table 2-6, percent of the students in the sample went bar hopping the weekend before the midterm and did well on the midterm. A) 15 B) 27.27 |
| C) 30 |
| D) 50 |
| Answer: A |
| Difficulty: Easy |
| Keywords: contingency table, interpretation |
| 50) Referring to Table 2-6, percent of the students in the sample spent the weekend studying and did well on the midterm. A) 40 |
| B) 50 |
| C) 72.72 |
| D) 80 |
| Answer: A |
| Difficulty: Easy |
| Keywords: contingency table, interpretation |
| 51) Referring to Table 2-6, if the sample is a good representation of the population, we can expect percent of the students in the population to spend the weekend studying and do |
| poorly on the midterm. |
| A) 10 |
| B) 20 |
| C) 45 |
| D) 50 |
| Answer: A |
| Difficulty: Easy |
| Keywords: contingency table, interpretation |

| 52) Referring to Table 2-6, if the sample is a good representation of the population, we can expect percent of those who spent the weekend studying to do poorly on the midterm A) 10 B) 20 C) 45 D) 50 Answer: B Difficulty: Moderate |
|---|
| Keywords: contingency table, interpretation |
| regwords. Contingency tubic, interpretation |
| 53) Referring to Table 2-6, if the sample is a good representation of the population, we can expect percent of those who did poorly on the midterm to have spent the weekend studying. A) 10 B) 22.22 C) 45 D) 50 Answer: B Difficulty: Moderate Keywords: contingency table, interpretation |
| 54) In a contingency table, the number of rows and columns A) must always be the same. |
| B) must always be 2. |
| C) must add to 100%. D) None of the above |
| Answer: D |
| Difficulty: Moderate |
| Keywords: contingency table |

55) Retailers are always interested in determining why a customer selected their store to make a purchase. A sporting goods retailer conducted a customer survey to determine why its customers shopped at the store. The results are shown in the bar chart below. What proportion of the customers responded that they shopped at the store because of the merchandise or the convenience?



- A) 35%
- B) 50%
- C) 65%
- D) 85%

Answer: C

Difficulty: Easy

Keywords: bar chart, interpretation

TABLE 2-7

The Stem-and-Leaf display below contains data on the number of months between the date a civil suit is filed and when the case is actually adjudicated for 50 cases heard in superior court.

| Stem | Leaves |
|------|----------------|
| 1 | 234447899 |
| 2 | 22223455678889 |
| 3 | 0011135778 |
| 4 | 02345579 |
| 5 | 1 1 2 4 6 6 |
| 6 | 1 5 8 |

56) Referring to Table 2-7, locate the first leaf, i.e., the lowest valued leaf with the lowest valued stem. This represents a wait of _____ months.

Answer: 12 Difficulty: Easy

Keywords: stem-and-leaf display, interpretation

| 57) Referring to Table 2-7, the civil suit with the longest wait between when the suit was filed and when it was adjudicated had a wait of months. Answer: 68 |
|---|
| Difficulty: Easy |
| Keywords: stem-and-leaf display, interpretation |
| 58) Referring to Table 2-7, the civil suit with the fourth shortest waiting time between when the suit was filed and when it was adjudicated had a wait of months. Answer: 14 Difficulty: Moderate Keywords: stem-and-leaf display, interpretation |
| 59) Referring to Table 2-7, percent of the cases were adjudicated within the first 2 |
| years. |
| Answer: 30 |
| Difficulty: Moderate Keywords: stem-and-leaf display, interpretation |
| 60) Referring to Table 2-7, percent of the cases were not adjudicated within the first 4 years. Answer: 20 |
| Difficulty: Moderate |
| Keywords: stem-and-leaf display, interpretation |
| 61) Referring to Table 2-7, if a frequency distribution with equal sized classes was made from this data, and the first class was "10 but less than 20," the frequency of that class would be |
| Answer: 9 |
| Difficulty: Easy |
| Keywords: stem-and-leaf display, interpretation |
| 62) Referring to Table 2-7, if a frequency distribution with equal sized classes was made from this data, and the first class was "10 but less than 20," the relative frequency of the third class would be |
| Answer: $0.20 \text{ or } 20\%$ or $10/50$ |
| Difficulty: Moderate |
| Keywords: stem-and-leaf display, relative frequency distribution |
| 63) Referring to Table 2-7, if a frequency distribution with equal sized classes was made from this data, and the first class was "10 but less than 20," the cumulative percentage of the second class would be |
| Answer: 46% or 0.46 or 23/50 |
| Difficulty: Moderate |
| Keywords: stem-and-leaf display, cumulative percentage distribution |

TABLE 2-8

The Stem-and-Leaf display represents the number of times in a year that a random sample of 100 "lifetime" members of a health club actually visited the facility.

| Stem | Leaves | |
|---|---|--|
| 0 | 0122222333334456666667789999 | |
| 1 | 1 1 1 1 2 2 2 2 3 4 4 4 4 4 5 5 6 6 9 9 9 9 | |
| 2 | 0001122345556889 | |
| 3 | 0000446799 | |
| 4 | 011345567 | |
| 5 | 0077 | |
| 6 | 8 | |
| 7 | 67 | |
| 8 | 3 | |
| 9 | 0 2 4 7 | |
| 64) Referring to Table 2-8, the person who has the largest leaf associated with the smallest stem visited the facility times. Answer: 9 Difficulty: Moderate Keywords: stem-and-leaf display, interpretation | | |
| 65) Referring to Table 2-8, the person who visited the health club less than anyone else in the sample visited the facility times. Answer: 0 or no Difficulty: Easy | | |
| Keywor | ds: stem-and-leaf display, interpretation | |
| 66) Referring to Table 2-8, the person who visited the health club more than anyone else in the sample visited the facility times. Answer: 97 Difficulty: Easy Keywords: stem-and-leaf display, interpretation | | |
| | | |
| 67) Referring to Table 2-8, of the 100 members visited the health club at least 52 times in a year. Answer: 10 | | |
| Difficulty: Moderate | | |
| Keywords: stem-and-leaf display, interpretation | | |
| 12 times Answer: Difficult | ty: Moderate | |
| Keywords: stem-and-leaf display, interpretation | | |

69) Referring to Table 2-8, if a frequency distribution with equal sized classes was made from this data, and the first class was "0 but less than 10," the frequency of the fifth class would be

Answer: 9

Difficulty: Moderate

Keywords: stem-and-leaf display, frequency distribution

70) Referring to Table 2-8, if a frequency distribution with equal sized classes was made from this data, and the first class was "0 but less than 10," the relative frequency of the last class would be

Answer: 4% or 0.04 or 4/100

Difficulty: Moderate

Keywords: stem-and-leaf display, relative frequency distribution

71) Referring to Table 2-8, if a frequency distribution with equal sized classes was made from this data, and the first class was "0 but less than 10," the cumulative percentage of the next-to-last class would be

Answer: 96% or 0.96 or 96/100

Difficulty: Moderate

Keywords: stem-and-leaf display, cumulative percentage distribution

72) Referring to Table 2-8, if a frequency distribution with equal sized classes was made from this data, and the first class was "0 but less than 10," the class midpoint of the third class would

Answer: 25 or (20+30)/2 Difficulty: Moderate

Keywords: stem-and-leaf display, class midpoint

TABLE 2-9

The frequency distribution below represents the rents of 250 randomly selected federally subsidized apartments in a small town.

| Rent in \$ | Frequency |
|-----------------------|-----------|
| 300 but less than 400 | 113 |
| 400 but less than 500 | 85 |
| 500 but less than 600 | 32 |
| 600 but less than 700 | 16 |
| 700 but less than 800 | 4 |

73) Referring to Table 2-9, _____ apartments rented for at least \$400 but less than \$600.


Answer: 117 Difficulty: Easy

Keywords: frequency distribution

| 74) Referring to Table 2-9, percent of the apartments rented for \$600 or more. Answer: 8% or 20/250 |
|---|
| Difficulty: Easy |
| Keywords: frequency distribution, cumulative percentage distribution |
| 75) Referring to Table 2-9, percent of the apartments rented for at least \$500. Answer: 20.8% or 52/250 Difficulty: Moderate |
| Keywords: frequency distribution, cumulative percentage distribution |
| 76) Referring to Table 2-9, the class midpoint of the second class is Answer: 450 Difficulty: Easy Keywords: frequency distribution, class midpoint |
| 77) Referring to Table 2-9, the relative frequency of the second class is Answer: 85/250 or 17/50 or 34% or 0.34 Difficulty: Easy Keywords: frequency distribution, relative frequency distribution |
| 78) Referring to Table 2-9, the percentage of apartments renting for less than \$600 is Answer: 230/250 or 23/25 or 92% or 0.92 Difficulty: Moderate Keywords: frequency distribution, cumulative percentage distribution. |
| Keywords: frequency distribution, cumulative percentage distribution |

TABLE 2-10

The histogram below represents scores achieved by 200 job applicants on a personality profile.



79) Referring to the histogram from Table 2-10, _____ percent of the job applicants scored

between 10 and 20. Answer: 20% Difficulty: Easy

Keywords: histogram, percentage distribution

80) Referring to the histogram from Table 2-10, ______ percent of the job applicants scored

below 50. Answer: 80%

Difficulty: Moderate

Keywords: histogram, percentage distribution

81) Referring to the histogram from Table 2-10, the number of job applicants who scored between 30 and below 60 is _____.

Answer: 80

Difficulty: Moderate Keywords: histogram

82) Referring to the histogram from Table 2-10, the number of job applicants who scored 50 or above is

Answer: 40

Difficulty: Moderate Keywords: histogram

| 83) to _ | Referring | g to the | histogra | am fron | n Table | 2-10, 9 | 0% of t | he job a | applican | ts score | ed above | e or equal |
|----------------------------|---|--------------------------|------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|---------------------|
| Ans Diff | wer: 10 iculty: N words: 1 | | | ulative | percent | age dist | ributio | n | | | | |
| 84) | Referring | g to the | histogra | am fron | n Table | 2-10, h | alf of th | ne job a | pplicant | s scored | d below | |
| Diff | wer: 30 iculty: Negrification words: 1 | | | ulative | percent | age dist | ributio | n | | | | |
| belo Ans Diff | Referring w 20 or wer: 50° iculty: N words: 1 | at least % Moderat | 50. | | | | | | nt of the | e applic | ants sco | ored |
| betv Ans Diff | Referring ween 20 a wer: 50° iculty: N words: 1 | and belo % Moderat | ow 50. te | | | | | | nt of the | e applic | ants sco | ored |
| TAI | BLE 2-11 | | | | | | | | | | | |
| | ordered determir | - | | | | _ | - | e of 25 b | oatches | of 500 c | compute | er chips |
| Defe 1 17 | ects 2 20 | 4 21 | | 5 23 | 5 25 | 6 26 | 7 27 | 9 27 | 9 28 | 12 29 | 12 29 | 15 |
| | Referring ut less th | | | | | | | | | | | ed, using ald be |
| Diff | wer: 4 iculty: E words: 1 | • | cy distri | ibution | | | | | | | | |
| "0 b wou Ans Diff | ut less the ld be wer: 0.0 iculty: N | an 5" a 8 or 8% Moderat | s the fir 6 or 2/25 te | st class | , the rel | ative fro | | | | | | ed, using lass |
| Kev | words: 1 | elative | trequen | icv disti | 1bution | | | | | | | |

89) Referring to Table 2-11, construct a frequency distribution for the defects data, using "0 but less than 5" as the first class.

| Α | ns | w | er | • |
|---|----|---|----|---|
| | | | | |

| Defects | Frequency |
|---------------------|-----------|
| 0 but less than 5 | 4 |
| 5 but less than 10 | 6 |
| 10 but less than 15 | 2 |
| 15 but less than 20 | 2 |
| 20 but less than 25 | 4 |
| 25 but less than 30 | 7 |
| Difficulty: Facy | |

Difficulty: Easy

Keywords: frequency distribution

90) Referring to Table 2-11, construct a relative frequency or percentage distribution for the defects data, using "0 but less than 5" as the first class.

Answer:

| Defects | Percentage |
|---------------------|------------|
| 0 but less than 5 | 16 |
| 5 but less than 10 | 24 |
| 10 but less than 15 | 8 |
| 15 but less than 20 | 8 |
| 20 but less than 25 | 16 |
| 25 but less than 30 | 28 |
| | |

Difficulty: Moderate

Keywords: relative frequency distribution, percentage distribution

91) Referring to Table 2-11, construct a cumulative percentage distribution for the defects data if the corresponding frequency distribution uses "0 but less than 5" as the first class.

Answer:


| Defects | CumPct |
|---------|--------|
| 0 | 0 |
| 5 | 16 |
| 10 | 40 |
| 15 | 48 |
| 20 | 56 |
| 25 | 72 |
| 30 | 100 |
| | |

Difficulty: Moderate

Keywords: cumulative percentage distribution

92) Referring to Table 2-11, construct a histogram for the defects data, using "0 but less than 5" as the first class.

Answer:




Difficulty: Easy

Keywords: histogram, frequency distribution

93) Referring to Table 2-11, construct a cumulative percentage polygon for the defects data if the corresponding frequency distribution uses "0 but less than 5" as the first class. Answer:

Cumulative Percentage Polygon



Difficulty: Moderate

Keywords: cumulative percentage polygon

Keywords: frequency distribution, class interval

| 94) The point halfway between the boundaries of each class interval in a grouped frequency |
|--|
| distribution is called the |
| Answer: class midpoint |
| Difficulty: Easy |
| Keywords: cumulative percentage polygon, frequency distribution |
| 95) A is a vertical bar chart in which the rectangular bars are constructed at the |
| boundaries of each class interval. |
| Answer: histogram |
| Difficulty: Easy |
| Keywords: histogram |
| 96) It is essential that each class grouping or interval in a frequency distribution be |
| and |
| Answer: non-overlapping; of equal width |
| Difficulty: Moderate |

| 97) In order to compare one large set of numerical data to another, a be developed from the frequency distribution. Answer: relative frequency or percentage Difficulty: Easy | distribution must |
|--|---------------------|
| Keywords: relative frequency distribution, percentage distribution | |
| 98) When comparing two or more large sets of numerical data, the distributi should use the same Answer: class boundaries | ons being developed |
| Difficulty: Easy | |
| Keywords: class boundaries | |
| 99) The width of each class grouping or interval in a frequency distribution s Answer: the same or equal Difficulty: Easy | should be |
| Keywords: class interval, frequency distribution | |
| 100) In constructing a polygon, each class grouping is represented by its these are consecutively connected to one another. Answer: midpoint | and then |
| Difficulty: Easy Keywords: polygon, class interval, midpoint | |
| 101) A is a summary table in which numerical data are tallied into categories. Answer: frequency distribution Difficulty: Easy Keywords: frequency distribution, class interval | class intervals or |
| 102) In general, grouped frequency distributions should have between 5 and | 15 class intervals. |
| Answer: TRUE | |
| Difficulty: Easy Keywords: frequency distribution, number of classes | |
| 103) The sum of relative frequencies in a distribution always equals 1. Answer: TRUE Difficulty: Easy | |
| Keywords: relative frequency | |
| 104) The sum of cumulative frequencies in a distribution always equals 1. Answer: FALSE Difficulty: Moderate | |
| Keywords: cumulative distribution | |

105) In graphing two categorical data, the side-by-side bar chart is best suited when comparing joint responses.

Answer: TRUE
Difficulty: Moderate

Keywords: side-by-side chart

106) When constructing a frequency distribution, classes should be selected so that they are of equal width.

Answer: TRUE Difficulty: Easy

Keywords: frequency distribution

107) A research analyst was directed to arrange raw data collected on the yield of wheat, ranging from 40 to 93 bushels per acre, in a frequency distribution. He should choose 30 as the class interval width.

Answer: FALSE Difficulty: Easy

Keywords: frequency distribution, class interval

108) If the values of the seventh and eighth class in a cumulative percentage distribution are the same, we know that there are no observations in the eighth class.

Answer: TRUE Difficulty: Moderate

Keywords: cumulative percentage distribution

109) One of the advantages of a pie chart is that it clearly shows that the total of all the categories of the pie adds to 100%.

Answer: TRUE Difficulty: Easy Keywords: pie chart

110) The larger the number of observations in a numerical data set, the larger the number of class intervals needed for a grouped frequency distribution.

Answer: TRUE Difficulty: Easy

Keywords: class interval, frequency distribution

111) Determining the class boundaries of a frequency distribution is highly subjective.

Answer: TRUE Difficulty: Easy

Keywords: class boundaries, frequency distribution

112) The original data values cannot be determined once they are grouped into a frequency distribution table.

Answer: TRUE Difficulty: Easy

Keywords: frequency distribution

113) The percentage distribution cannot be constructed from the frequency distribution directly.

Answer: FALSE Difficulty: Easy

Keywords: percentage distribution, frequency distribution

114) The stem-and-leaf display is often superior to the frequency distribution in that it maintains the original values for further analysis.

Answer: TRUE Difficulty: Easy

Keywords: stem-and-leaf display, frequency distribution

115) The relative frequency is the frequency in each class divided by the total number of

observations. Answer: TRUE Difficulty: Easy

Keywords: relative frequency distribution

116) Ogives are plotted at the midpoints of the class groupings.

Answer: FALSE Difficulty: Easy

Keywords: ogives, midpoint

117) Percentage polygons are plotted at the boundaries of the class groupings.

Answer: FALSE Difficulty: Easy

Keywords: percentage polygons

118) The main principle behind the Pareto chart is the ability to separate the "vital few" from the

"trivial many." Answer: TRUE Difficulty: Easy

Keywords: Pareto chart

119) A histogram can have gaps between the bars, whereas bar charts cannot have gaps.

Answer: FALSE Difficulty: Easy

Keywords: histogram, bar chart

120) Histograms are used for numerical data while bar charts are suitable for categorical data.

Answer: TRUE Difficulty: Easy

Keywords: histogram, bar chart

121) A Wal-Mart store in a small town monitors customer complaints and organizes these complaints into six distinct categories. Over the past year, the company has received 534 complaints. One possible graphical method for representing these data would be a Pareto chart.

Answer: TRUE Difficulty: Moderate Keywords: Pareto chart

122) Apple Computer, Inc. collected information on the age of their customers. The youngest customer was 12 and the oldest was 72. To study the distribution of the age among its customers, it can use a Pareto chart.

Answer: FALSE Difficulty: Moderate Keywords: Pareto chart

123) Apple Computer, Inc. collected information on the age of their customers. The youngest customer was 12 and the oldest was 72. To study the distribution of the age among its customers, it is best to use a pie chart.

Answer: FALSE Difficulty: Moderate Keywords: pie chart

124) Apple Computer, Inc. collected information on the age of their customers. The youngest customer was 12 and the oldest was 72. To study the distribution of the age among its customers, it can use a percentage polygon.

Answer: TRUE Difficulty: Moderate

Keywords: percentage polygons

125) Apple Computer, Inc. collected information on the age of their customers. The youngest customer was 12 and the oldest was 72. To study the percentage of their customers who are below a certain age, it can use an ogive.

Answer: TRUE Difficulty: Moderate Keywords: ogive

126) If you wish to construct a graph of a relative frequency distribution, you would most likely construct an ogive first.

Answer: FALSE Difficulty: Moderate Keywords: ogive

127) An ogive is a cumulative percentage polygon.

Answer: TRUE Difficulty: Easy

Keywords: Ogive, cumulative percentage polygon

128) A side-by-side chart is two histograms plotted side-by-side.

Answer: FALSE Difficulty: Moderate

Keywords: side-by-side chart

129) A good choice for the number of class groups to use in constructing frequency distribution is to have at least 5 but no more than 15 class groups.

Answer: TRUE Difficulty: Easy

Keywords: number of classes

130) In general, a frequency distribution should have at least 8 class groups but no more than 20.

Answer: FALSE Difficulty: Easy

Keywords: number of classes

131) To determine the width of class interval, divide the number of class groups by the range of

the data.

Answer: FALSE Difficulty: Easy

Keywords: class interval

132) The percentage polygon is formed by having the lower boundary of each class represent the data in that class and then connecting the sequence of lower boundaries at their respective class percentages.

Answer: FALSE Difficulty: Easy

Keywords: percentage polygons

133) A polygon can be constructed from a bar chart.

Answer: FALSE Difficulty: Moderate Keywords: polygon

134) To evaluate two categorical variables at the same time, a _____ could be developed.

Answer: contingency or cross-classification table or side-by-side bar chart

Difficulty: Easy

Keywords: contingency table, cross-classification table

135) Relationships in a contingency table can be examined more fully if the frequencies are converted into .

Answer: percentages or proportions

Difficulty: Easy

Keywords: contingency table

TABLE 2-12

The table below contains the opinions of a sample of 200 people broken down by gender about the latest congressional plan to eliminate anti-trust exemptions for professional baseball.

| | For | Neutral | Against | Totals |
|---------------|-----|---------|---------|---------------|
| Female | 38 | 54 | 12 | 104 |
| Male | 12 | 36 | 48 | 96 |
| Totals | 50 | 90 | 60 | 200 |

136) Referring to Table 2-12, construct a table of row percentages.

Answer:

| | For | Neutral | Against | Totals |
|--------|-------|---------|---------|---------------|
| Female | 36.54 | 51.92 | 11.54 | 100.00 |
| Male _ | 12.50 | 37.50 | 50.00 | 100.00 |
| Totals | 25.00 | 45.00 | 30.00 | 100.00 |

Difficulty: Easy

Keywords: row percentages

137) Referring to Table 2-12, construct a table of column percentages.

Answer:

| | For | Neutral | Against | Totals |
|--------|--------|---------|---------|---------------|
| Female | 76.00 | 60.00 | 20.00 | 52.00 |
| Male | 24.00 | 40.00 | 80.00 | 48.00 |
| Totals | 100.00 | 100.00 | 100.00 | 100.00 |

Difficulty: Easy

Keywords: column percentages

138) Referring to Table 2-12, construct a table of total percentages.

Answer:

| | <u>For</u> | Neutral | Agains | t Totals |
|--------|------------|---------|--------|----------|
| Female | 19.00 | 27.00 | 6.00 | 52.00 |
| Male | 6.00 | 18.00 | 24.00 | 48.00 |
| Totals | 25.00 | 45.00 | 30.00 | 100.00 |

Difficulty: Easy

Keywords: total percentages

139) Referring to Table 2-12, of those for the plan in the sample, _____ percent were

females.

Answer: 76%

Difficulty: Moderate

Keywords: contingency table, column percentages

140) Referring to Table 2-12, of those neutral in the sample, ______ percent were males.

Answer: 40%

Difficulty: Moderate

Keywords: contingency table, column percentages

| 141) Referring to Table 2-12, of the males in the sample, percent were for the plan. Answer: 12.50% Difficulty: Moderate Keywords: contingency table |
|---|
| 142) Referring to Table 2-12, of the females in the sample, percent were against the plan. Answer: 11.54% Difficulty: Moderate Keywords: contingency table |
| 143) Referring to Table 2-12, of the females in the sample, percent were either neutral or against the plan. Answer: 63.46% or (51.92 + 11.54)% Difficulty: Moderate Keywords: contingency table |
| 144) Referring to Table 2-12, percent of the 200 were females who were against the plan. Answer: 6% Difficulty: Moderate Keywords: contingency table |
| 145) Referring to Table 2-12, percent of the 200 were males who were neutral. Answer: 18% Difficulty: Moderate Keywords: contingency table |
| 146) Referring to Table 2-12, percent of the 200 were females who were either neutral or against the plan. Answer: 33% Difficulty: Difficult Keywords: contingency table |
| 147) Referring to Table 2-12, percent of the 200 were males who were not against the plan. Answer: 24% Difficulty: Difficult Keywords: contingency table |
| 148) Referring to Table 2-12, percent of the 200 were not neutral. Answer: 55% Difficulty: Difficult Keywords: contingency table, row percentages |

| 149) Referring to Table 2-12, Answer: 30% | _ percent of the 200 were against the plan. |
|--|---|
| Difficulty: Moderate | |
| Keywords: contingency table, row per | centages |
| 150) Referring to Table 2-12, Answer: 48% Difficulty: Easy | |
| Keywords: contingency table, column | percentages |
| 151) Referring to Table 2-12, if the sar expect percent of the popula Answer: 25% Difficulty: Moderate | mple is a good representation of the population, we can tion will be for the plant. |
| Keywords: contingency table, row per | centages |
| 152) Referring to Table 2-12, if the sar expect percent of the popula Answer: 48% Difficulty: Moderate Keywords: contingency table, column | |
| ixey words. Contingency table, column | percentages |
| = | nple is a good representation of the population, we can he plan in the population will be males. |
| | nple is a good representation of the population, we can in the population will be against the plan. |
| | nple is a good representation of the population, we can s in the population will not be against the plan. |

TABLE 2-13

Given below is the stem-and-leaf display representing the amount of detergent used in gallons (with leaves in tenths of gallons) in a day by 25 drive-through car wash operations in Phoenix.

9 | 147 10 | 02238 11 | 135566777 12 | 223489 13 | 02

156) Referring to Table 2-13, if a frequency distribution for the amount of detergent used is constructed, using "9.0 but less than 10.0 gallons" as the first class, the frequency of the "11.0 but less than 12.0 gallons" class would be ______.

Answer: 9 Difficulty: Easy

Keywords: frequency distribution

157) Referring to Table 2-13, if a percentage histogram for the detergent data is constructed, using "9.0 but less than 10.0 gallons" as the first class, the percentage of drive-through car wash operations that use "12.0 but less than 13.0 gallons" of detergent would be ______.

Answer: 24%

Difficulty: Moderate

Keywords: relative frequency distribution, percentage distribution

158) Referring to Table 2-13, if a percentage histogram for the detergent data is constructed, using "9.0 but less than 10.0 gallons" as the first class, what percentage of drive-through car wash operations use less than 12 gallons of detergent in a day?

Answer: 68% Difficulty: Easy

Keywords: percentage distribution, cumulative relative frequency

159) Referring to Table 2-13, if a relative frequency or percentage distribution for the detergent data is constructed, using "9.0 but less than 10.0 gallons" as the first class, what percentage of drive-through car wash operations use at least 10 gallons of detergent in a day?

Answer: 88% Difficulty: Easy

Keywords: relative frequency distribution, percentage distribution

160) Referring to Table 2-13, if a relative frequency or percentage distribution for the detergent data is constructed, using "9.0 but less than 10.0 gallons" as the first class, what percentage of drive-through car wash operations use at least 10 gallons but less than 13 gallons of detergent in a day?

Answer: 80% Difficulty: Easy

Keywords: relative frequency distribution, percentage distribution

161) Referring to Table 2-13, construct a frequency distribution for the detergent data, using "9.0 but less than 10.0 gallons" as the first class.

Answer:

| Purchases (gals) | Frequency |
|-------------------------|-----------|
| 9.0 but less than 10.0 | 3 |
| 10.0 but less than 11.0 | 5 |
| 11.0 but less than 12.0 | 9 |
| 12.0 but less than 13.0 | 6 |
| 13.0 but less than 14.0 | 2 |
| Difficulty: Moderate | |

Keywords: frequency distribution

162) Referring to Table 2-13, construct a relative frequency or percentage distribution for the detergent data, using "9.0 but less than 10.0" as the first class.

Answer:

| Purchases (gals) | Percentage |
|-------------------------|------------|
| 9.0 but less than 10.0 | 12% |
| 10.0 but less than 11.0 | 20 |
| 11.0 but less than 12.0 | 36 |
| 12.0 but less than 13.0 | 24 |
| 13.0 but less than 14.0 | 8 |
| | |

Difficulty: Moderate

Keywords: relative frequency distribution, percentage distribution

163) Referring to Table 2-13, construct a cumulative percentage distribution for the detergent data if the corresponding frequency distribution uses "9.0 but less than 10.0" as the first class. Answer:


| Frequency | Percentage |
|-----------|---------------------|
| Less Than | Less Than |
| 3 | 12 |
| 8 | 32 |
| 17 | 68 |
| 23 | 92 |
| 25 | 100 |
| | Less Than 3 8 17 23 |

Difficulty: Moderate

Keywords: cumulative percentage distribution

164) Referring to Table 2-13, construct a percentage histogram for the detergent data, using "9.0 but less than 10.0" as the first class.


Answer:



Difficulty: Moderate

Keywords: histogram, frequency distribution


165) Referring to Table 2-13, construct a cumulative percentage polygon for the detergent data if the corresponding frequency distribution uses "9.0 but less than 10.0" as the first class. Answer:



Difficulty: Moderate

Keywords: cumulative percentage polygon

166) Referring to Table 2-13, construct a percentage polygon for the detergent data if the corresponding frequency distribution uses "9.0 but less than 10.0" as the first class. Answer:



Difficulty: Moderate

Keywords: percentage distribution, percentage polygon

TABLE 2-14

The table below contains the number of people who own a portable DVD player in a sample of 600 broken down by gender.

Own a Portable

| DVD Player | Male | Female |
|------------|------|---------------|
| Yes | 96 | 40 |
| No | 224 | 240 |

167) Referring to Table 2-14, construct a table of row percentages.

Answer:

| Own | Male | Female | Total |
|-------|--------|--------|---------|
| Yes | 70.59% | 29.41% | 100.00% |
| No | 48.28% | 51.72% | 100.00% |
| Total | 53.33% | 46.67% | 100.00% |

Difficulty: Easy

Keywords: row percentages

168) Referring to Table 2-14, construct a table of column percentages.

Answer:

| Own | Male | Female | Total |
|-------|---------|---------|---------|
| Yes | 30.00% | 14.29% | 22.67% |
| No | 70.00% | 85.71% | 77.33% |
| Total | 100.00% | 100.00% | 100.00% |

Difficulty: Easy

Keywords: column percentages

169) Referring to Table 2-14, construct a table of total percentages.

Answer:

| Own | Male | Female | Total |
|-------|--------|---------------|---------|
| Yes | 16.00% | 6.67% | 22.67% |
| No | 37.33% | 40.00% | 77.33% |
| Total | 53.33% | 46.67% | 100.00% |

Difficulty: Easy

Keywords: total percentages

170) Referring to Table 2-14, of those who owned a portable DVD in the sample, _____

percent were females. Answer: 29.41% Difficulty: Moderate

Keywords: contingency table, row percentages

171) Referring to Table 2-14, of those who did not own a portable DVD in the sample, ______ percent were males.

Answer: 48.28%
Difficulty: Moderate

Keywords: contingency table, row percentages

172) Referring to Table 2-14, of the males in the sample, _____ percent owned a portable

DVĎ.

Answer: 30%

Difficulty: Moderate

Keywords: contingency table, column percentages

173) Referring to Table 2-14, of the females in the sample, _____ percent did not own a

portable DVD. Answer: 85.71% Difficulty: Moderate

Keywords: contingency table, column percentages


| 174) Referring to Table 2-14 of the females in the sample, percent owned a portable DVD. |
|---|
| Answer: 14.29% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| 175) Referring to Table 2-14, percent of the 600 were females who owned a portable DVD. |
| Answer: 6.67% |
| Difficulty: Moderate |
| Keywords: contingency table, total percentage |
| 176) Referring to Table 2-14, percent of the 600 were males who owned a portable DVD. |
| Answer: 16% |
| Difficulty: Moderate |
| Keywords: contingency table, total percentage |
| 177) Referring to Table 2-14, percent of the 600 were females who either owned or did not own a portable DVD. Answer: 46.67% |
| Difficulty: Moderate |
| Keywords: contingency table, total percentage |
| 178) Referring to Table 2-14, percent of the 600 were males who did not own a portable DVD. |
| Answer: 37.33% |
| Difficulty: Moderate |
| Keywords: contingency table, total percentage |
| 179) Referring to Table 2-14, percent of the 600 owned a portable DVD. Answer: 22.67% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| 180) Referring to Table 2-14, percent of the 600 did not own a portable DVD. |
| Answer: 77.33% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| 181) Referring to Table 2-14, percent of the 600 were females. Answer: 46.67% |
| Difficulty: Easy |
| Keywords: contingency table, row percentages |

| 182) Referring to Table 2-14, if the sample is a good representation of the population, we can expect percent of the population will own a portable DVD. |
|--|
| Answer: 22.67% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| 183) Referring to Table 2-14, if the sample is a good representation of the population, we can expect percent of the population will be males. Answer: 53.33% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| 184) Referring to Table 2-14, if the sample is a good representation of the population, we can expect percent of those who own a portable DVD in the population will be males. Answer: 70.59% Difficulty: Moderate |
| Keywords: contingency table, row percentages |
| 185) Referring to Table 2-14, if the sample is a good representation of the population, we can expect percent of the males in the population will own a portable DVD. Answer: 30% Difficulty: Moderate |
| Keywords: contingency table, column percentages |
| Reywords. Contingency table, column percentages |
| 186) Referring to Table 2-14, if the sample is a good representation of the population, we can expect percent of the females in the population will not own a portable DVD. Answer: 85.71% |
| Difficulty: Moderate |
| Keywords: contingency table, column percentages |

TABLE 2-15

The figure below is the ogive for the amount of fat (in grams) for a sample of 36 pizza products where the upper boundaries of the intervals are: 5, 10, 15, 20, 25, and 30.

Cumulative Percentage Polygon for Fat



187) Referring to Table 2-15, roughly what percentage of pizza products contains less than 10 grams of fat?

- A) 3%
- B) 14%
- C) 50%
- D) 75%

Answer: B

Difficulty: Easy

Keywords: cumulative percentage polygon, ogive, interpretation

188) Referring to Table 2-15, what percentage of pizza products contains at least 20 grams of fat?

- A) 5%
- B) 25%
- C) 75%
- D) 96%

Answer: B

Difficulty: Easy

Keywords: cumulative percentage polygon, ogive, interpretation

189) Referring to Table 2-15, what percentage of pizza products contains between 10 and 25 grams of fat?

A) 14%

B) 44%

C) 62%

D) 81%

Answer: D

Difficulty: Easy

Keywords: cumulative percentage polygon, ogive, interpretation

TABLE 2-16

The figure below is the percentage polygon for the amount of calories for a sample of 36 pizzas products where the upper limits of the intervals are: 310, 340, 370, 400 and 430.

Percentage Polygon for Calories



190) Referring to Table 2-16, roughly what percentage of pizza products contains between 400 and 430 calories?

A) 0%

B) 11%

C) 89%

D) 100%

Answer: B

Difficulty: Easy

Keywords: percentage polygon, interpretation

191) Referring to Table 2-16, roughly what percentage of pizza products contains between 340 and 400 calories?

A) 22%

B) 25%

C) 28%

D) 50%

Answer: D

Difficulty: Moderate

Keywords: percentage polygon, interpretation

192) Referring to Table 2-16, roughly what percentage of pizza products contains at least 340 calories?

A) 25%

B) 28%

C) 39%

D) 61%

Answer: D

Difficulty: Moderate

Keywords: percentage polygon, interpretation

TABLE 2-17

The following table presents total retail sales in millions of dollars for the leading apparel companies during April 2009 and April 2010.

| APPAREL COMPANY | April 2009 | April 2010 |
|-----------------|------------|------------|
| Gap | 1,159.00 | 962 |
| TJX | 781.7 | 899 |
| Limited | 596.5 | 620.4 |
| Kohl's | 544.9 | 678.9 |
| Nordstrom | 402.6 | 418.3 |
| Talbots | 139.9 | 130.1 |
| Ann Taylor | 114.2 | 124.8 |

193) Referring to Table 2-17, construct a table of column percentages.


Answer:

| APPAREL COMPANY | April 2009 | April 2010 |
|-----------------|------------|------------|
| Gap | 31.00% | 25.09% |
| TJX | 20.91% | 23.45% |
| Limited | 15.95% | 16.18% |
| Kohl's | 14.57% | 17.71% |
| Nordstrom | 10.77% | 10.91% |
| Talbots | 3.74% | 3.39% |
| Ann Taylor | 3.05% | 3.26% |
| Total | 100.00% | 100.00% |

Difficulty: Moderate

Keywords: column percentages

194) Referring to Table 2-17, construct a side-by-side bar chart. Answer:



Difficulty: Moderate

Keywords: column percentages, side-by-side chart

195) Referring to Table 2-17, in general, retail sales for the apparel industry have seen a modest growth between April 2008 and April 2009.

Answer: TRUE Difficulty: Easy

Keywords: column percentages, side-by-side chart, interpretation

196) Referring to Table 2-17, among the 8 stores, _____ saw a sales decline.

Answer: Gap and Talbots

Difficulty: Easy

Keywords: column percentages, side-by-side chart, interpretation

TABLE 2-18

The stem-and-leaf display below shows the result of a survey on 50 students on their satisfaction with their school with the higher scores represent higher level of satisfaction.

| | | Stem-and-Leaf Display | |
|----------------|----------|-----------------------|-----------------|
| | | Stem unit | 10 |
| Statistic | cs | 4 | 13667 |
| Sample Size | 50 | 5 | 00389 |
| Mean | 71.06 | 6 | 0114457799 |
| Median | 73.5 | 7 | 000134455666788 |
| Std. Deviation | 14.13695 | 8 | 01134457789 |
| Minimum | 41 | 9 | 0227 |
| Maximum | 97 | | |

197) Referring to Table 2-18, what was the highest level of satisfaction?

Answer: 97
Difficulty: Easy

Keywords: stem-and-leaf display

198) Referring to Table 2-18, what was the lowest level of satisfaction?

Answer: 41 Difficulty: Easy

Keywords: stem-and-leaf display

199) Referring to Table 2-18, how many students have a satisfaction level in the 50s?

Answer: 5
Difficulty: Easy

Keywords: stem-and-leaf display

200) Referring to Table 2-18, how many students have a satisfaction level below 60?

Answer: 10 Difficulty: Easy

Keywords: stem-and-leaf display

201) Referring to Table 2-18, how many students have a satisfaction level of at least 80?

Answer: 15 Difficulty: Easy

Keywords: stem-and-leaf display

202) Referring to Table 2-18, the level of satisfaction is concentrated around 75.

Answer: TRUE Difficulty: Easy

Keywords: stem-and-leaf display

203) Referring to Table 2-18, if a student is randomly selected, his/her most likely level of satisfaction will be in the 70s among the 40s, 50s, 60s, 70s, 80s and 90s.

Answer: TRUE Difficulty: Easy


Keywords: stem-and-leaf display

204) Referring to Table 2-18, if a student is randomly selected, his/her most likely level of satisfaction will be in the 60s among the 40s, 50s, 60s, 70s, 80s and 90s.

Answer: FALSE Difficulty: Easy

Keywords: stem-and-leaf display


205) Given below is the scatter plot of the price/earnings ratio versus earnings per share of 20 U.S. companies. There appears to be a negative relationship between price/earnings ratio and earnings per share.




Answer: TRUE Difficulty: Easy

Keywords: scatter plot

206) Given below is the scatter plot of the price/earnings ratio versus earnings per share of 20 U.S. companies. There appear to be a positive relationship between price/earnings ratio and earnings per share.




Answer: FALSE Difficulty: Moderate Keywords: scatter plot 207) Given below is the scatter plot of the market value (thousands\$) and profit (thousands\$) of 50 U.S. companies. Higher market values appear to be associated with higher profits.



Answer: TRUE Difficulty: Easy

Keywords: scatter plot


208) Given below is the scatter plot of the market value (thousands\$) and profit (thousands\$) of 50 U.S. companies. There appears to be a negative relationship between market value and profit.




Answer: FALSE Difficulty: Easy

Keywords: scatter plot

209) Given below is the scatter plot of the number of employees and the total revenue (\$millions) of 20 U.S. companies. There appears to be a positive relationship between total revenue and the number of employees.



Answer: TRUE Difficulty: Moderate Keywords: scatter plot 210) Given below is the scatter plot of the number of employees and the total revenue (\$millions) of 20 U.S. companies. Companies that have higher numbers of employees appear to also have higher total revenue.



Answer: TRUE Difficulty: Moderate Keywords: scatter plot