

MULTIPLE CHOICE

- 1. A method for distinguishing between real people and intelligent computer programs is to require both to recognize
- a. a face c. a mangled word. b. typed digits on a check. d. a secret code. ANS: C DIF: Applied **REF:** Describing Patterns 2. Which theory states that we compare patterns with each other and measure how much they overlap? a. feature theory c. template theory d. Rumelhart's theory b. Sperling's theory ANS: C DIF: Conceptual **REF:** Describing Patterns 3. Template theories a. are designed to explain our ability to read words faster than letters. b. take an unanalyzed pattern and match it against stored alternative patterns. c. analyze the specific features of a pattern. d. specify how the features of a pattern are joined to each other. ANS: B **REF:** Describing Patterns DIF: Conceptual 4. In an experiment by Phillips, subjects had to decide whether two checkerboard patterns were the same or different. They could not make a template match when the two patterns were in different locations on the screen. a. b. after the visual information store decayed. c. if the two patterns were separated by more than .5 seconds. d. All of these **REF:** Describing Patterns ANS: D DIF: Factual MSC: WWW 5. The results of the Phillips (1974) study discussed in your text indicates that a. the template model may describe events within the sensory store. b. the feature model may describe events within the sensory store. c. the template model may describe events within long term memory. d. the feature model may describe events within long term memory. ANS: A DIF: Conceptual **REF:** Describing Patterns
- 6. Which theory seems to best describe the contents of the sensory store?

 a. template theory
 b. structural theory
 c. feature theory
 d. geon theory

 7. The theory that describes patterns by listing their parts is

 a. template theory.
 b. feature theory.
 c. structural theory.
 d. prototype theory.
 - ANS: B DIF: Conceptual REF: Describing Patterns

- 8. If I were to describe my friend Bob by saying he has dark hair, blue eyes, and he's very tall, which kind of theory would I be using?
 - a. template theory c. structural theory
 - b. feature theory d. geon theory

ANS: B DIF: Conceptual REF: Describing Patterns

- 9. A major difference between a feature theory and a template theory is
 - a. a feature theory specifies the relations between the features.
 - b. a template specifies the relations between the features.
 - c. a feature theory processes the input pattern as a single unit.
 - d. a template processes the input pattern as a single unit.

ANS: D DIF: Conceptual REF: Describing Patterns

10. Egeland taught kindergarten children to distinguish effectively between confusable letter pairs by emphasizing

a.	all the features of	f the let	с.	the shared features.	
b.	the distinctive fea	atures.		d.	none of the features.
AN	S: B	DIF:	Applied	REF:	Describing Patterns

- 11. Emphasizing distinctive features when teaching young children to recognize letters
 - a. helps them to distinguish between letters afterwards and minimizes frustration due to errors.
 - b. helps them to create a holistic template for letters.
 - c. helps them to understand the underlying principles of phonics and learn to read more quickly.
 - d. is of no demonstrable benefit.

ANS: A DIF: Applied REF: Describing Patterns

- 12. The importance of distinctive features in pattern recognition is demonstrated by the finding that people were
 - a. faster in identifying caricatures of faces than accurate line drawings of faces.
 - b. faster in identifying accurate line drawings than caricatures.
 - c. more often correct in identifying caricatures than accurate line drawings.
 - d. more often correct in identifying accurate line drawings than caricatures.

ANS: A DIF: Applied REF: Describing Patterns

- 13. According to Gibson's feature theory, features should remain unchanged despite changes in
 - a. brightness. c. perspective.
 - b. size. d. All of these

ANS: D DIF: Conceptual REF: Describing Patterns

- 14. A set of proposed features is usually evaluated by
 - a. asking people whether it looks reasonable.
 - b. determining whether it can account for perceptual confusions.
 - c. observing how people draw patterns.
 - d. All of these

ANS:	В	DIF:	Factual	REF:	Describing Patterns
MSC:	WWW				

- 15. Structural theories of pattern recognition
 - a. deny the existence of features.
 - b. are extensions of feature theories.
 - c. assume that a pattern can be described by listing its features.
 - d. ignore the relationship among features.

ANS: B DIF: Conceptual REF: Describing Patterns

- 16. Structural theories have the advantage over feature theories in that
 - a. they specify spatial relationships.
 - b. they specify more features.
 - c. they make it easier to predict perceptual confusions.
 - d. they can accommodate Phillips' results on matching checkerboard patterns.

ANS: A DIF: Conceptual REF: Describing Patterns

- 17. Biederman's component model is an example of
 - a. a feature model in which all the features are characterized.
 - b. a template model in which there are only a limited number of templates.
 - c. a structural model in which a limited number of components can be used to build many different objects.
 - d. None of these

ANS: C DIF: Conceptual REF: Describing Patterns

- 18. In an experiment by Biederman, the recognition of objects was more difficult when lines were deleted at
 - a. midsegments, supporting a template theory.
 - b. midsegments, supporting a structural theory.
 - c. vertices, supporting a template theory.
 - d. vertices, supporting a structural theory.

ANS: D DIF: Factual REF: Describing Patterns

- 19. Discriminating between different variations of the same geon was easier than discriminating between different geons for
 - a. college students in the United States. c. both a and b.
 - b. the Himba in a remote region of Namibia. d. neither a nor b.

ANS: D DIF: Factual REF: Describing Patterns

- 20. The skeleton structure of animals can best be described by a
 - a. template theory.c. structural theory.b. feature theory.d. None of theseANS: CDIF: ConceptualREF: Describing Patterns
- 21. Which of the following models does not belong?
 - a. filter c. structural
 - b. feature d. template

ANS: A DIF: Conceptual REF: Describing Patterns

The duration of the a. 2.5 msec. b. 25 msec.	visual se	ensory store is	approxii c. d.	nately 250 msec. 2500 msec.	
ANS: C	DIF:	Factual	REF:	Information-Processing Stages	
How does the partial report technique differ from the whole-report technique?a. The partial report technique presents information for only a very brief time.b. The partial report technique presents each line individually.c. The partial report technique requires the subject to respond with all recalled information.d. The partial report technique requires the subject to respond with only certain items.					
ANS: D	DIF:	Factual	REF:	Information-Processing Stages	
The purpose of Sperling's partial report technique was to distinguisha. auditory encoding from visual encoding.b. sequential scanning from parallel scanning.c. perceptual limitations from memory limitations.d. short-term memory from long-term memory.					
ANS: C	DIF:	Conceptual	REF:	Information-Processing Stages	
 One of the interesting results of Sperling's partial-report technique results was that a. there was never a difference between the partial-report and whole-report findings. b. so long as subjects responded within 5 seconds, there was no difference between the partial-report and whole-report findings. c. after a one second delay, the results were the same as those obtained by the whole-report technique. d. None of these 					
ANS: C	DIF:	Factual	REF:	Information-Processing Stages	
Serial processing is a. one at a time; n b. Rumelhart; Spe ANS: A	w nulti-task erling DIF:	vhile parallel p ing Conceptual	rocessin c. d. REF:	g is geons; features All of the above Information-Processing Stages	
The decay rate of th a. occurrence of a b. contrast of the	ne visual second e stimulus.	information steepsore.	ore depe c. d.	ends on all of the following <i>except</i> intensity of the stimulus. rehearsal.	
ANS: D	DIF:	Factual	REF:	Information-Processing Stages	
Sperling proposed t auditory informatio a. the sensory stor b. the scan compo ANS: C MSC: WWW	hat peop n store is re. nent. DIF:	le use the audi a part of Factual	tory info c. d. REF:	ormation store to rehearse the names of patterns. The short-term memory. long-term memory. Information-Processing Stages	
	The duration of the a. 2.5 msec. b. 25 msec. ANS: C How does the partial a. The partial report b. The partial report d. The partial report d. The partial report ANS: D The purpose of Spectra a. auditory encode b. sequential scan c. perceptual limit d. short-term ment ANS: C One of the interestia a. there was never b. so long as subject partial-report and c. after a one sector technique. d. None of these ANS: C Serial processing is a. one at a time; m b. Rumelhart; Spect ANS: A The decay rate of th a. occurrence of a b. contrast of the sector tauditory information a. the sensory stor b. the scan comport ANS: C	The duration of the visual set a. 2.5 msec. b. 25 msec. ANS: C DIF: How does the partial report techni b. The partial report techni c. The partial report techni d. The partial report techni c. perceptual imitations from b. sequential scanning from c. perceptual limitations from d. short-term memory from ANS: C DIF: One of the interesting results a. there was never a different b. so long as subjects respondent partial-report and whole c. after a one second delay technique. d. None of these ANS: C DIF: Serial processing is w a. one at a time; multi-task b. Rumelhart; Sperling ANS: A DIF: The decay rate of the visual a. occurrence of a second component. ANS: D DIF: Sperling proposed that peopla auditory information store is a. the sensory store. b. the scan component. ANS: C DIF: MSC: WWW	The duration of the visual sensory store is a a. 2.5 msec. b. 25 msec. ANS: C DIF: Factual How does the partial report technique presents in b. The partial report technique presents et c. The partial report technique presents et c. The partial report technique requires th ANS: D DIF: Factual The purpose of Sperling's partial report tec a. auditory encoding from visual encoding b. sequential scanning from parallel scanning c. perceptual limitations from memory lind d. short-term memory from long-term med ANS: C DIF: Conceptual One of the interesting results of Sperling's a. there was never a difference between th b. so long as subjects responded within 5 partial-report and whole-report finding c. after a one second delay, the results we technique. d. None of these ANS: C DIF: Factual Serial processing is while parallel pr a. one at a time; multi-tasking b. Rumelhart; Sperling ANS: A DIF: Conceptual The decay rate of the visual information stra a. occurrence of a second exposure. b. contrast of the stimulus. ANS: D DIF: Factual Sperling proposed that people use the audit auditory information store is a part of a. the sensory store. b. the scan component. ANS: C DIF: Factual Sperling proposed that people use the audit auditory information store is a part of a. the sensory store. b. the scan component. ANS: C DIF: Factual	The duration of the visual sensory store is approxin a. 2.5 msec. c. b. 25 msec. d. ANS: C DIF: Factual REF: How does the partial report technique presents informati b. The partial report technique presents each line c. The partial report technique requires the subject ANS: D DIF: Factual REF: The purpose of Sperling's partial report technique value a. auditory encoding from visual encoding. b. sequential scanning from parallel scanning. c. perceptual limitations from memory limitation d. short-term memory from long-term memory. ANS: C DIF: Conceptual REF: One of the interesting results of Sperling's partial- a. there was never a difference between the partie b. so long as subjects responded within 5 seconds partial-report and whole-report findings. c. after a one second delay, the results were the sa- technique. d. None of these ANS: C DIF: Factual REF: Serial processing is while parallel processing a. one at a time; multi-tasking c. b. Rumelhart; Sperling d. ANS: A DIF: Conceptual REF: The decay rate of the visual information store depe a. occurrence of a second exposure. c. b. contrast of the stimulus. d. ANS: D DIF: Factual REF: Sperling proposed that people use the auditory information store is a part of a. the sensory store. c. b. the scan component. d. ANS: C DIF: Factual REF: Sperling proposed that people use the auditory information store is a part of a. the sensory store. c. b. the scan component. d. ANS: C DIF: Factual REF: Sperling proposed that people use the auditory information store is a part of a. the sensory store. c. b. the scan component. d.	

- 29. What was the major revision in Sperling's 1967 model for the visual report task?
 - a. the change from sequential scanning to parallel scanning
 - b. the change from parallel scanning to sequential scanning
 - c. the addition of the visual information store
 - d. the addition of the auditory information store

ANS: A DIF: Conceptual REF: Information-Processing Stages

- 30. Which of the following is true for Rumelhart's model of pattern recognition?
 - a. It is a mathematical model.
 - b. Recognition is influenced by the number of items in the display.
 - c. Recognition is influenced by the clarity of information.
 - d. All of these

ANS: D DIF: Conceptual REF: Information-Processing Stages

- 31. According to Rumelhart's model, people recognize items in a display by using
 - a. a parallel scan and feature recognition. c. a serial scan and feature recognition.
 - b. a parallel scan and template matching. d. a serial scan and template matching.

ANS: A DIF: Conceptual REF: Information-Processing Stages

- 32. According to Rumelhart's model, people do better in the partial report procedure than in the whole report procedure because
 - a. they can use the visual information store to read off letters in the cued row.
 - b. the clarity of the visual information store increases over time.
 - c. they can often correctly guess which row will be cued.
 - d. they have less to remember.

ANS: A DIF: Conceptual REF: Information-Processing Stages

33. Imagine that you view a brief flash of letters. In which series will it be easiest to judge whether the letter C or M was the third letter?

a.	AFCE	с.	C-
b.	FACE	d.	All are equal

ANS: B DIF: Applied REF: Word Recognition

- 34. The 'word superiority effect' refers to the finding that it is easier to recognize a letter in a word thana. a letter by itself.c. Both a and b
 - b. a letter in a non-word. d. Neither a nor b

ANS: C DIF: Factual REF: Word Recognition

35. The interactive activation model of word recognition proposes that information about the letters in a word comes from

- a. the feature level. c. Both a and b
- b. the word level. d. Neither a nor b
- ANS: C DIF: Conceptual REF: Word Recognition

36.	An important effect it stimulated interest a. feature models. b. neural network r	of the ir in nodels.	nteractive active	ation mo c. d.	odel proposed by Rumelhart and McClelland is that template models. structural models.	
	ANS: B MSC: WWW	DIF:	Factual	REF:	Word Recognition	
37.	Neural network mod a. pattern recogniti b. STM.	lels have on.	e been most wi	dely use c. d.	ed to model problem solving. text comprehension.	
	ANS: A	DIF:	Factual	REF:	Word Recognition	
38.	38. Neural network models include all <i>except</i>a. processing units called nodesb. connections among nodes			which of c. d.	the following? states of activation strictly serial processing	
	ANS: D	DIF:	Conceptual	REF:	Word Recognition	
39.	 Neural network models consist of nodes that are a. independent of each other. b. connected to each other by excitatory connections. c. connected to each other by inhibitory connections. d. connected to each other by excitatory and inhibitory connections. 					
	ANS: D	DIF:	Conceptual	REF:	Word Recognition	
40.	Learning in neural network models occurs bya. creating new nodes.c.b. creating new connections.d.			changing weights of connections. eliminating excess nodes.		
	ANS: C MSC: WWW	DIF:	Conceptual	REF:	Word Recognition	
TRUI	E/FALSE					
1.	Computers are super	ior to h	umans in their	abilitv t	o recognize patterns.	
	ANS: F	DIF:	Applied	REF:	Introduction	
2.	2. Template matches can occur in the sensory store.					
	ANS: T	DIF:	Conceptual	REF:	Describing Patterns	
3.	A distinctive feature that category.	is one t	hat is present a	mong a	ll exemplars of a given category and helps define	
	ANS: F	DIF:	Factual	REF:	Describing Patterns	
4.	A geon is essentially	a three	-dimensional fo	eature.		

ANS: T DIF: Conceptual REF: Describing Patterns

5. Sperling modified his original information-processing model by changing a parallel scan to a serial scan.

ANS: F DIF: Conceptual REF: Information-Processing Stages

6. Detection paradigms are those in which one has to specify which of two possible target patterns is present in a display.

ANS: T DIF: Factual REF: Information-Processing Stages

7. Rumelhart's recognition model is influenced by the number of items in a display.

ANS: T DIF: Conceptual REF: Information-Processing Stages

8. The term *superiority effect* indicates that accuracy in recognizing a letter is higher when the letter appears alone than when it is part of a word.

ANS: F DIF: Factual REF: Word Recognition

9. Neural network models can have both inhibitory and excitatory connections.

ANS: T DIF: Conceptual REF: Word Recognition

10. Neural network models can have connections that are only on or off.

ANS: F DIF: Conceptual REF: Word Recognition

ESSAY

1. Why was Sperling's partial report technique an innovation in research methodology, and why was it so important?

ANS: Answer not provided.

2. There are three major perspectives on pattern recognition: template, feature, and structural models. Explain the strengths and weakness of each model.

ANS: Answer not provided.

3. Of the major theoretical perspectives of pattern recognition which do you prefer, and why?

ANS: Answer not provided.

4. Describe the partial-report technique. What were the major findings from these studies?

ANS: Answer not provided. 5. Compare and contrast Sperling's model of information processing with Rumelhart's.

ANS: Answer not provided.

6. What is the word superiority effect? Describe the model discussed in your text to explain this effect.

ANS: Answer not provided.

7. What are neural network models? What are the components of a neural network?

ANS: Answer not provided.

8. Explain how perpetual learning can be facilitated by the highlighting of distinctive features. What benefits result from this method?

ANS: Not provided.

9. Describe the impact of Biederman's work on structural theories. How did it build upon the previous work of others?

ANS: Not provided.

10. Why do people have difficulty recognizing faces of other races?

ANS: Not provided.