

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Use the given frequency distribution to find the

(a) class width.

(b) class midpoints of the first class.

(c) class boundaries of the first class.

-	(in inches) Frequency, f				1)
50 - 52	5				
53 - 55	8				
56 - 58	12				
50 - 50 59 - 61	13				
62 - 64	11				
A) (a) 3		B) (a) 2	C) (a) 2	D) (a) 3	
(b) 5	1	(b) 51.5	(b) 51.5	(b) 51	
	9.5-52.5	(c) 50-52	(c) 49.5-52.5	(c) 50-52	
	alls (per day)				2)
	Frequency, f				2)
8 - 11	18				
8 - 11 12 - 15	23				
12 - 15 16 - 19	23 38				
20 - 23	38 47				
20 - 23 24 - 27	32				
A) (a) 3	32	B) (a) 3	C) (a) 4	D) (a) 4	
(a) 3 (b) 9	Б	(b) 10.5	(b) 10.5	(b) 9.5	
	5-11.5	(c) 8-11	(c) 8-11	(c) 7.5-11.5	
3) Weight	(in pounds)				3)
Class	Frequency, f				
135 - 139	6				
140 - 144	4				
145 - 149	11				
	15				
150 - 154	15				
150 - 154 155 - 159	8				
		B) (a) 4	C) (a) 5	D) (a) 5	
155 - 159	8	B) (a) 4 (b) 137.5	C) (a) 5 (b) 137	D) (a) 5 (b) 137	
155 - 159 A) (a) 4 (b) 1	8				
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles	8 37.5 34.5-139.5 (per day)	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class	8 37.5 34.5-139.5 (per day) Frequency, f	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles <u>Class</u> 1 - 2	8 37.5 34.5-139.5 (per day) Frequency, f 9	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class 1 - 2 3 - 4	8 37.5 34.5-139.5 (per day) Frequency, f 9 22	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles <u>Class</u> <u>1 - 2</u> <u>3 - 4</u> 5 - 6	8 37.5 34.5-139.5 (per day) Frequency, f 9 22 28	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class 1 - 2 3 - 4 5 - 6 7 - 8	8 37.5 34.5-139.5 (per day) Frequency, f 9 22 28 15	(b) 137.5	(b) 137	(b) 137	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10	8 37.5 34.5-139.5 (per day) Frequency, f 9 22 28	(b) 137.5 (c) 135-139	(b) 137 (c) 134.5-139.5	(b) 137 (c) 135-139	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class 1 - 2 3 - 4 5 - 6 7 - 8	8 37.5 34.5-139.5 (per day) Frequency, f 9 22 28 15	(b) 137.5	(b) 137	(b) 137 (c) 135-139 D) (a) 2	4)
155 - 159 A) (a) 4 (b) 1 (c) 13 4) Miles Class 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10	8 37.5 34.5-139.5 (per day) Frequency, f 9 22 28 15	(b) 137.5 (c) 135-139	(b) 137 (c) 134.5-139.5	(b) 137 (c) 135-139	4)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


Use the maximum and minimum data entries and the number of classes to find the class width, the lower class limits, and the upper class limits.

5) min = 1, max = 30, 6 classes	5)
6) min = 80, max = 265, 6 classes	6)


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Provide an appropriate response.

7) Use the ogive below to approximate the number in the sample.



8) Use the ogive below to approximate the cumulative frequency for 24 hours.



Leisure Time of College Students

7) _____

8)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Use the relative frequency histogram to


a) identify the class with the greatest, and the class with the least, relative frequency.

b) approximate the greatest and least relative frequencies.

c) approximate the relative frequency of the fifth class.

9)

Blood Pressure Reading



Use the given frequency distribution to construct a frequency histogram, a relative frequency histogram and a frequency polygon.

10)		
С	lass	Frequency, f
50	- 52	5
53	- 55	8
56	- 58	12
59	- 61	13
62	- 64	11
11) V) Weight (in pounds)	

9) _____

weight	(in pounds)
Class	Frequency, f
135 - 139	6
140 - 144	4
145 - 149	11
150 - 154	15
155 - 159	8

Use the given frequency distribution to construct a cumulative frequency distribution and an ogive.

12)) Phone Calls (per day)	
	Class Frequency, f	
	8 - 11	18
	12 - 15	23
	16 - 19	38
	20 - 23	47
	24 - 27	32

13) _____

13) Height (in inches)

Class	Frequency, f
50 - 52	5
53 - 55	8
56 - 58	12
59 - 61	13
62 - 64	11

14) Weight (in pounds)

Class	Frequency, f
135 - 139	6
140 - 144	4
145 - 149	11
150 - 154	15
155 - 159	8

15) Miles (per day)

Class	Frequency, f
1 - 2	9
3 - 4	22
5 - 6	28
7 - 8	15
9 - 10	4

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Provide an appropriate response.

16) A city in the Pacific Northwest recorded its highest temperature at 91 degrees Fahrenheit and its							
lowest temperature at 12 degrees Fahrenheit for a particular year. Use this information to find the							
upper and lower lim	upper and lower limits of the first class if you wish to construct a frequency distribution with 10						
classes.							
A) 7-17	B) 12-18	C) 12-19	D) 12-20				

A) 2.35-2.54 B)	2.35-2.55 C	C) 2.35-2.75	D) 2.35-2.65
-----------------	-------------	--------------	--------------

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

The grade point averages for 40 students are listed below.

2.0	3.2	1.8	2.9	0.9	4.0	3.3	2.9	3.6	0.8
3.1	2.4	2.4	2.3	1.6	1.6	4.0	3.1	3.2	1.8
2.2	2.2	1.7	0.5	3.6	3.4	1.9	2.0	3.0	1.1
3.0	4.0	4.0	2.1	1.9	1.1	0.5	3.2	3.0	2.2

18) Construct a frequency distribution, a relative frequency distribution, and a cumulative frequency distribution using eight classes. Include the midpoints of the classes.

18) _____

14) _____

15) _____

19) Construct a frequency histogram, a relative frequency histogram and a frequency polygon	19)	
using eight classes.		

	2	20)										
The heights (in inches) of 30 adult males are listed below.												
	70 72 71 70 69 73 69 68 70 71 67 71 70 74 69 68 71 71 71 72 69 71 68 67 73 74 70 71 69 68											
	21) Construct a frequency distribution, a relative frequency distribution, and a cumulative frequency distribution using five classes.										21)	
	2	2) Co	onstru	ct a fi	reque	ncy h	nistog	ram ı	using	five classes.	22)	
	2	3) Co	onstru	ct a r	elati∨	e frec	quenc	y hist	togra	m using five classes.	23)	
24) Construct a frequency polygon using five classes.											24)	
	2	5) Co	onstru	ct a o	give	using	five	classe	s.		25)	

The Highway Patrol, using radar, checked the speeds (in mph) of 30 passing motorists at a checkpoint. The results are listed below.

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	48	33

26) Construct a frequency distribution, a relative frequency distribution, and a cumulative frequency distribution using six classes.	26)
27) Construct a frequency histogram, a relative frequency histogram and a frequency polygon using six classes.	27)
28) Construct an ogive using six classes.	28)

Provide an appropriate response.

29) Listed below are the ACT scores of 40 randomly selected students at a major university.

29) _____

30)

 18
 22
 13
 15
 24
 24
 20
 19
 19
 12

 16
 25
 14
 19
 21
 23
 25
 18
 18
 13

 26
 26
 25
 25
 19
 17
 18
 15
 13
 21


 19
 19
 14
 24
 20
 21
 23
 22
 19
 17


a) Construct a relative frequency histogram of the data, using eight classes.b) If the university wants to accept the top 90% of the applicants, what should the minimum score be?c) If the university sets the minimum score at 17, what percent of the applicants will be accepted?

30) Explain the difference between class limits and class boundaries.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Match the description of the sample with the correct plot.





SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

32)

33)

35)

Provide an appropriate response.

32) The numbers of home runs that Sammy Sosa hit in the first 15 years of his major league baseball career are listed below. Make a stem-and-leaf plot for this data. What can you conclude about the data?


4 15 10 8 33 25 36 40 36 66 63 50 64 49 40

33) The numbers of home runs that Barry Bonds hit in the first 18 years of his major league baseball career are listed below. Make a stem-and-leaf plot for this data. What can you conclude about the data?

16	25	24	19	33	25	34	46	37
33	42	40	37	34	49	73	46	45

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

34) For the stem-and-leaf plot below, what is the maximum and what is the minimum entry? 34)



35) For the dot plot below, what is the maximum and what is the minimum entry?

A) max: 14; min: 12 A) max: 14; min: 12 A) max: 14; min: 12 B) max: 54

C) max: 54; min: 12

B) max: 54; min: 15D) max: 17; min: 12

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

36) The heights (in inches) of 30 adult males are listed below. Construct a stem-and-leaf chart for the data.

What can you conclude about the data?


70	72	71	70	69	73	69	68	70	71
67	71	70	74	69	68	71	71	71	72
69	71	68	67	73	74	70	71	69	68

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	48	33

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

38) Display the data below in a stem-and-leaf plot.

Heights of Students in Class



SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	48	33

38) _____

36)

40) The heights (in inch	es) of 30 adult males are listed below. Construct a dot plot for the data.	40)
70 72 71 7	0 69 73 69 68 70 71	
67 71 70 7		
69 71 68 6		
	ted to determine how people get jobs. Four hundred subjects were	41)
randomly selected a	nd the results are listed below.	
Job Sources of		
Survey Responder	ts Frequency	
Newspaper want a		
Online services	124	
Executive search fir Mailings	ms 72 32	
Networking	103	
5	I	
Construct a pie char	t of the data.	
		(2)
-	ted to determine how people get jobs. Four hundred subjects were nd the results are listed below.	42)
Tandonny Scietted a		
Job Sources of		
Survey Responder	ts Frequency	
Newspaper want a		
Online services	124	
Executive search fir	ms 69 32	
Mailings Networking	103	
Networking	105	
Construct a Pareto o	hart of the data.	
13) The beights (in inch	es) of 30 adult males are listed below. Construct a Pareto chart for the	43)
data.		
	0 69 73 69 68 70 71	
67 71 70 7		
69 71 68 6	7 73 74 70 71 69 68	
44) Use a scatter plot to	display the data below. All measurements are in milligrams per	44)
cigarette.		· ·/
	ar Nicotine	
5		
5	13 1.1 16 1.2	
	10 1.2 18 1.4	
viceroy	T.1 J	

 Viceroy
 18
 1.4

 True
 6
 0.6

45) The numbers of home runs that Barry Bonds hit in the first 10 years of his major league baseball career are listed below. Use a scatter plot to display the data. Is there a relationship between the home runs and the batting averages?

Home Runs						25				
Batting Average	.223	.261	.283	.248	.301	.292	.311	.336	.312	.294

⁴⁶⁾ The data below represent the numbers of absences and the final grades of 15 randomly selected students from a statistics class. Use a scatter plot to display the data. Is there a relationship between the students' absences and their final grades?

Student	Number of Absences	Final Grade as a Percent
1	5	79
2	6	78
3	2	86
4	12	56
5	9	75
6	5	90
7	8	78
8	15	48
9	0	92
10	1	78
11	9	81
12	3	86
13	10	75
14	3	89
15	11	65

47) The data below represent the infant mortality rates and the life expectancies for seven selected countries in Africa. Use a scatter plot to display the data.

Infant Mortality	63	199	71	61	67	35	194
Life Expectancy	45	31	51	47	39	70	37

48) The data below represent the smoking prevalence among U.S. adults over a 35-year period. Use a time series chart to display the data. Describe any trends shown.

Year	1965	1985	1990	1995	2000	
Percent of Smokers	42	30	25	25	23	-

45)

46)

47)

48) _____

49) A safety engineer wishes to use the following data to show the number of deaths from the collision of passenger cars with trucks on a particular highway. Use a time series chart to display the data. Describe any trends shown.

Number of Deaths
12
17
22
21
16
13
11
12

50) Women were allowed to enter the Boston Marathon for the first time in 1972. Listed below 50) ______ are the winning women's times (in minutes) for the first 10 years. Use a time series chart to display the data.

Year	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Time	190	186	167	162	167	168	165	155	154	147

51) The five longest winning streaks for NCAA Men's Division I Basketball are listed below. Construct a Pareto chart for the data.

University	Number of Games
Indiana	57
San Francisco	51
UCLA	76
Marquette	56
Kentucky	54

52) The lengths, in kilometers, of the world's largest subway systems are listed below. Construct a Pareto chart for the data.

City	Length
Moscow	340
Paris	211
London	415
Tokyo	281
New York City	371

53) The number of beds in a sample of 24 hospitals are listed below. Construct a stem-and-leaf plot for the data.

149	167	162	127	130	180	160	167
221	145	137	194	207	150	254	262
244	287	137	204	166	174	180	151

53)

51)

52) _____

49)

54) The number of minutes that a dentist kept 20 patients waiting beyond their appointment times are listed below. Construct a stem-and-leaf plot for the data.

12.912.19.69.811.513.010.510.315.711.310.710.013.09.711.412.811.99.39.610.1

55) A study was conducted to determine how certain families pay on their credit card balances. Two hundred families with a household annual income between \$25,000 and \$49,999 were randomly selected and the results are listed below. Construct a pie chart of the data.

Payment schedule	Frequency
Almost always pay off balance	97
Sometimes pay off balance	41
Hardly ever pay off balance	62

56) Of the 55 tornado fatalities in a recent year, the locations of the victims are listed below. Construct a pie chart of the data.

Location	Fatalities
Mobile home	37
Permanent home	10
Vehicle	4
Business	2
Unknown	2

57) The data below represent the alcohol-related driving fatalities, in thousands, in the United 5
 States over a 20-year period. Use a time series chart to display the data. Describe any trends shown.

Year	1983	1985	1987	1989	1991	1993	1995	1997	1999	2001
Fatalities	25	23	24	22	20	18	18	17	17	17


55) _____

54) _____

56) _____

57) _____


- 58)
- 58) The graph below shows the number of car accidents occurring in one city in each of the years 1 through 6. The number of accidents dropped in year 3 after a new speed limit was imposed. Does the graph distort the data? How would you redesign the graph to be less misleading?



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

59) Determine whether the approximate shape of the distribution in the histogram is symmetric, uniform, skewed left, skewed right, or none of these.





C) skewed left

60) Determine whether the approximate shape of the distribution in the histogram is symmetric,

Age of patient A) skewed right B) symmetric

50 60 70

80

90

uniform, skewed left, skewed right, or none of these.


61) Find the mean, median, and mode of the data.


40

30

0

10 20





Inches

A) $\overline{x} = 70$; median = 69; mode = 67
C) $\overline{x} \approx 70.3$; median = 69; mode = 68

B) \overline{x} = 70; median = 67; mode = 69
D) $\overline{x} \approx 70.1$; median = 69; mode = 68

D) uniform


60)

61) _____

For the given data , construct a frequency distribution and frequency histogram of the data using five classes. Describe the shape of the histogram as symmetric, uniform, skewed left, or skewed right.


?) Data set: California Pick Three Lottery						62)					
3	6	7	6	0	6	1	7	8 4			
1	5	7	5	9	1	5	3	99			
2	2	3	0	8	8	4	0	24			
		sk						B) symmetric	C) skewed right	D) uniform	(2)
D							Picł	B) symmetric Three Lottery	C) skewed right	D) uniform	63)
	ata	set	: Ca	alif	orn	iia I			C) skewed right	D) uniform	63)
	ata 6	set 7	: Ca	alif 0	orn 9	iia l 1	7	Three Lottery	C) skewed right	D) uniform	63)
8 1	ata 6 5	set 7 7	: Ca 6 5	alif 0 9	orn 9 7	iia I 1 5	7 3	Three Lottery	C) skewed right	D) uniform	63)

64) Data set: age	es of 20 cars randomly selected	d in a student parking lot		64)
12 6 4 9 13 5 1 A) skewed		yht C) symmetric	D) uniform	
65) Data set: sys	tolic blood pressures of 20 ran	domly selected patients at a	blood bank	65)
	15 132 136 124 119 145 15 130 140 105 116 121 d left B) skewed rig		D) uniform	
Provide an appropriat 66) Use the histo	e response . ogram below to approximate t	he mode heart rate of adults	s in the gym.	66)
	Heart Rates of Adults			
45 - 40 - 35 - 30 - 25 - 20 - 15 - 10 - 5 - 10 -	55 60 65 70 75 80 85 Heart rate (beats per minute)			
A) 70	B) 55	C) 42	D) 2	
67) Use the histo	ogram below to approximate t	he median heart rate of adu	Its in the gym.	67)
	Heart Rates of Adults			
45 - 40 - 35 - 20 - 20 - 15 -				



D) 75

68) Use the histogram below to approximate the mean heart rate of adults in the gym.



119 158 141 138 160 108 103

68) ____

the me					Explain y			ndency- the mean or	
16	25	24 1	9 33	25	34	46	37		
33	42	40 3	7 34	49	73	46	45		
IPLE CHO	DICE. C	hoose th	ne one al	ternativ	ve that be	est com	pletes the st	atement or answers the questi	on.
	-	eds, in m e mediar	-	hour, fo	r Pro-Sto	ock drag	racing over	the past two decades are listed	74) _
181.1	202.2	190.1	201.4	191.3	201.4	192.2			
201.2	193.2	201.2	194.5	199.2	196.0	196.2			
A) 2	01.2		B)	196.1		С) 195.8	D) 196.7	
75) The sc score.	ores of t	he top te	n finishe	ers in a r	ecent gol	f tourna	ament are lis	ted below. Find the median	75) _
67 67	68 7 1	1 72 72	2 72 72	2 73 7	6				
A) 7	2		B)	71		С) 73	D) 67	
	-	eds, in m e mode s	-	hour, fo	r Pro-Sto	ock drag	y racing over	the past two decades are listed	76) _
181.1	202.2	190.1	201.4	191.3	201.4	192.2			
201.2	193.2		194.5	199.2	196.0	196.2			
A) t	oimodal	: 201.2, 20	01.4			E	3) 201.4		
C) r	io mode	<u>;</u>				D) 201.2		
77) The sc score.	ores of t	he top te	n finishe	rs in a r	ecent gol	f tourna	ament are lis	ted below. Find the mode	77) _
71 67	67 72	2 76 72	2 73 68	3 72 73	2				
A) 7	3		B)	76		С) 72	D) 67	
FANSWE	R. Wri	te the wo	ord or ph	nrase tha	at best co	omplete	es each state	ment or answers the question.	
	nounts d	of money	won by	the top	ten finisł	ners in a	-	tona 500 are listed 78) _ Iollar. Which measure-	

\$613,659 \$142,884 \$240,731 \$145,809 \$290,596

17

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

score is 76. Each	es test scores of 62, 83, test is worth 20% of th rade is 15% of the final B) 80.6	e final grade, the f grade. What is the	inal exam is 25% c	-	79)
according to cred		eceives an A in a fe hree-credit class, v	our-credit class, a	Grades are weighted D in a two-credit class, t's grade point average? D) 2.50	80)
Approximate the mean of	the frequency distrib	ution.			01)
81) Miles (per day)	Frequency				81)
1-2	15				
3-4	28				
5-6	11				
7-8	14				
9-10	9				
A) 5	B) 15	C)	4	D) 6	
00)					0.0)
82)					82)
Phone calls (per 8-11					
12-15	37 49				
12-13	17				
20-23	46				
24-27	39				
A) 18	B) 17	C) 16	D) 38	E) 19	
83)					83)
Weight (in poun	ds) Frequency				
135-139	7				
140-144	12				
145-149	10				
150-154	11				
155-159	20		4 4 7	D) 140	
A) 151	B) 12	C)	147	D) 149	
SHORT ANSWER. Write	the word or phrase th	at best completes	each statement o	r answers the question.	
	-	•		•	
Provide an appropriate res	-	,-,			
84) What is the diffe	rence between using µ	and x to represen	t a mean?	84)	
85) Why do data ent	ries need to be ordered	d before the media	n can be found?	85)	

86) On a recent Statistics test, the scores were 15, 66, 66, 81, 82, 83, 85, 88, 90, 92, 93, and 95. Is the mean a good representation of the center of data? If not, why?

87) On a recent Statistics test, the mode a good representation of the mode a good representation of the statement of the state			3, and 95. Is 87)	
MULTIP	LE CHOICE. Choose the or	ne alternative that best co	ompletes the statement o	r answers the questio	n.
88) On a recent Statistics test, th trimmed mean of this data.		82, 84, 86, 88, 90, 92, and 9	97. Find the 10%	88)
	A) 77	B) 38.5	C) 85	D) 82	
89) The lengths of phone calls f the midrange for this data.	rom one household (in m	inutes) were 2, 4, 6, 7, anc	1 10 minutes. Find	89)
	A) 6 minutes	B) 7 minutes	C) 10 minutes	D) 2 minutes	
90) The cost of five homes in a	certain area is given.			90)
	\$141,000 \$149,000 \$169,0	000 \$139,000 \$1,219,000			
	Which measure of central to A) mode	endency should be used? B) median	C) mean	D) midrange	
91) The cost of five homes in a	certain area is given.			91)
	\$186,000 \$194,000 \$214,0	000 \$184,000 \$1,264,000			
	List any outlier(s). A) \$1,264,000 C) \$186,000		B) \$1,264,000 and \$186,D) There are no outliers.		
92) The cost of five homes in a	certain area is given.			92)
	\$206,000 \$214,000 \$234,0	000 \$204,000 \$1,284,000			
	Calculate the midrange. A) \$540,000	B) \$1,080,000	C) \$428,400	D) \$214,000	
93) For the stem-and-leaf plot	below, find the range of t	he data set.		93)
	Key: 2 7 = 27				
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
	A) 43	B) 29	C) 37	D) 14	

94) Find the range of the data set represented by the graph.

20			
A) 6 B) 5	C) 20	D) 17	
95) The grade point averages for 10 students are listed	below. Find the range of tl	ne data set.	95)
2.0 3.2 1.8 2.9 0.9 4.0 3.3 2.9 3.6 0.8 A) 2.8 B) 2.45	C) 1.4	D) 3.2	
96) The heights (in inches) of 20 adult males are listed b	pelow. Find the range of th	ne data set.	96)
70 72 71 70 69 73 69 68 70 71 67 71 70 74 69 68 71 71 71 72 A) 6.5 B) 7	C) 6	D) 5	
97) Find the sample standard deviation.			97)
2 6 15 9 11 22 1 4 8 19 A) 6.3 B) 6.8	C) 2.1	D) 7.1	
98) Find the sample standard deviation.			98)
15 42 53 7 9 12 14 28 47 A) 29.1 B) 15.8	C) 17.8	D) 16.6	
99) Find the sample standard deviation.			99)
22 29 21 24 27 28 25 36 A) 2.8 B) 1.6	C) 4.8	D) 4.2	
100) The heights (in inches) of 10 adult males are listed by the data set.	pelow. Find the sample sta	ndard deviation of	100)
70 72 71 70 69 73 69 68 70 71			

 70
 72
 71
 70
 69
 73
 69
 68
 70
 71

 A)
 70
 B)
 3
 C)
 1.49
 D)
 2.38

94) _____

- - 70 72 71 70 69 73 69 68 70 71
 - 103) In a random sample, 10 students were asked to compute the distance they travel one way to school to the nearest tenth of a mile. The data is listed below. Compute the range, standard deviation and variance of the data.

1.1 5.2 3.6 5.0 4.8 1.8 2.2 5.2 1.5 0.8

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

(i)	0	9	(ii)	10 9	(iii)	0	
	1	58		11 5 8		1	5
	2	3377		12 3377		2	33337777
	3	2 5		13 2 5		3	5
	4	1		14 1		4	


A) Data set (ii) has the greatest standard deviation.

B) Data sets (i) and (iii) have the same range.

C) Data sets (i) and (ii) have the same standard deviation.

D) Data set (i) has the smallest standard deviation.

105) You are asked to compare three data sets. Without calculating, determine which data set has the greatest sample standard deviation and which has the least sample standard deviation.



- A) Greatest sample standard deviation: (iii)
 Least sample standard deviation: (i)
- C) Greatest sample standard deviation: (i) Least sample standard deviation: (iii)
- B) Greatest sample standard deviation: (i)
 Least sample standard deviation: (ii)
- D) Greatest sample standard deviation: (iii) Least sample standard deviation: (ii)
- 106) You are asked to compare three data sets. Without calculating, determine which data set has the greatest sample standard deviation and which has the least sample standard deviation.

(i)			(ii)			(iii)		
	2	6	2	2			2	6
	3	4	3	5	4		3	45
	4	003399	4		00033399		4	0399
	5	8	5	ì	8		5	89
	6	1	6	,			6	1

- A) Greatest sample standard deviation: (iii) Least sample standard deviation: (ii)
- C) Greatest sample standard deviation: (i) Least sample standard deviation: (ii)
- B) Greatest sample standard deviation: (i) Least sample standard deviation: (iii)
- D) Greatest sample standard deviation: (iii) Least sample standard deviation: (i)

105)

106)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

107	7) You need to purchase a bat	tery for your car. There a	re two types available. Ty	pe A has a 107)	
	mean life of five years and years and a standard devia should you purchase if you reasoning.	ition of one month. Both b	atteries cost the same. Wh	nich one	
108	B) Here are the batting average player is more consistent?	-	arry Bonds for 13 recent ye	ears. Which 108)	
	Sammy Sosa 0.203 0.260 Barry Bonds 0.292 0.311 0.300 0.268 0.273 0.251 0.312 0.294 0.308 0.291	0.336 0.308 0.288 0.320 0.32			
109	9) You are the maintenance e light bulbs for the classroor σ = 200 hours, or Type B w	ns. Should you choose Ty	pe A with μ = 3000 hours		
MULTI	PLE CHOICE. Choose the o	ne alternative that best co	ompletes the statement o	r answers the question	۱.
11() The mean IQ score of adult the percentage of adults with the percentage of adults with the second state of adults with the second state of a			-	110)
	distribution.) A) 100%	B) 68%	C) 95%	D) 99.7%	
117	 The mean score of a placer of 10. Use the Empirical Ru the data set has a bell-shap 	le to find the percentage of			111)
	A) 34%	B) 68%	C) 95%	D) 47.5%	
112	 The mean IQ score of stude Use the Empirical Rule to f set has a bell-shaped distri 	ind the percentage of stuc			112)
	A) 11.15%	B) 2.5%	C) 15.85%	D) 13.5%	
113	 The mean score of a competition of the percentage of sc distribution.) 			•	113)
	A) 68%	B) 99.7%	C) 50%	D) 95%	
114	 4) The mean score of a competivation of a competivation of the values do about 99.7% of the A) Between 74 and 90 C) Between 80 and 84 				114)

		mine the percentage of	f women whose pregnand	eviation of 9 days. Use the ies are between 257 and	115) _
	A) 68%	B) 99.7%	C) 50%	D) 95%	
116)		t of the scores lie betw	dard deviation of 98. Use een 462 and 560. (Assume	-	116) _
	A) 49.9%	B) 47.5%	C) 68%	D) 34%	
117)		t of the scores lie betw	dard deviation of 95. Use een 391 and 486. (Assume	•	117) _
	A) 34%	B) 49.9%	C) 47.5%	D) 68%	
118)		t of the scores lie betw	dard deviation of 100. Us een 500 and 700. (Assume	-	118) _
	A) 34%	B) 49.9%	C) 47.5%	D) 68%	
119)		It of the scores lie betw	dard deviation of 96. Use een 298 and 586. (Assume		119) _
	A) 68%	B) 83.9%	C) 81.5%	D) 34%	
120)	 deviation of \$210. The network of \$1074, \$1536, \$1647 A) \$528 is unusual be values that are very mean. B) \$1641, \$528, \$166 the mean. \$528 is C) \$1641, \$528, \$801 from the mean. \$200 fro	monthly rents for eight ove, determine which o xplain. (Assume the da 1, \$528, \$801, \$1662, \$1 ecause it is more than 3 ery unusual because no 2, \$696 are unusual because very unusual because , \$1662, \$696 are unusu 528 and \$696 are very he mean. 8, \$801, \$1662, \$696 are	of the data values are unu ata set has a bell-shaped of 347, \$696 3 standard deviations from value is more than 4 star cause they are more than it is more than 3 standard ual because they are more unusual because they are	in the city are listed. Using isual. Are any of the data distribution.) In the mean. There are no indard deviations from the 2 standard deviations from 4 deviations from the mean. It han 2 standard deviations more than 3 standard re more than 1 standard	120) _
		leviations from the me	1662, \$696 are very unus an.	dar because they are more	
ORT /	than 2 standard c	leviations from the me	an.	nt or answers the question.	
	than 2 standard c ANSWER. Write the wo) Heights of adult wome	leviations from the me ord or phrase that best n have a mean of 63.6	an.	nt or answers the question.	

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Use the grouped data formulas to find the indicated mean or standard deviation.

123) The salaries of a random sample of a company's employees are summarized in the frequency distribution below. Approximate the sample mean.

 Salary (\$)
 Employees

 5,001-10,000
 16

 10,001-15,000
 14

 15,001-20,000
 11

 20,001-25,000
 16

 25,001-30,000
 23

123) _____

Speed (mph)	Cars			
30-39	3			
40-49	17			
50-59	50			
60-69	19			
70-79	11			
	•			
A) 59.1 mph		B) 54.5 mph	C) 61.9 mph	D) 56.3 mph

Waiting time	Number of			
(minutes)	customers			
0 - 3	12			
4 - 7	14			
8 - 11	13			
12 - 15	6			
16 - 19	8			
20 - 23	2			
24 - 27	1			
A) 13.5 min	B) 8.0 m	nin	C) 9.1 min	D) 9.2 min


126) The heights of a random sample of professional basketball players are summarized in the frequency distribution below. Approximate the sample mean. Round your answer to one decimal place.

126) _

127) ____

Height (in.)	Frequency			
70 - 71	1			
72 - 73	6			
74 - 75	8			
76 - 77	12			
78 - 79	9			
80 - 81	5			
82 - 83	2			
	•			
A) 78.4 in.	B)	74.9 in.	C) 13.5 in.	D) 76.6 in.


127) A random sample of 30 high school students is selected. Each student is asked how many hours he or she spent on the Internet during the previous week. The results are shown in the histogram. Estimate the sample mean.



128) _____

	7 - 7 - 6 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	95	96	97 Score	98	99	100			
A)	96.9		B)	96.7		C)	97.3	_ D)) 97.1	
129) For th	ie followi	ing data	set, appr	roximate	the sam	ple stand	lard deviat	tion.		129)
_	1-2 3-4 5-6 7-8 9-10		requency 9 22 28 15 4	-						
A)	5.1		B)	2.9		C)	1.6	D	0) 2.1	
130) For th <u>P</u>	<u>hone cal</u> 8- 12 16 20		ay) Freq		the sam	ple stand	lard deviat	tion.		130)
A)	18.8		B)	5.1		C)	2.9	D) 3.2	
131) For th	e followi	ing data	set, appr	roximate	the sam	ole stand	lard deviat	tion.		131)
F	leight (in 50-1 53-1 56-1 59-1 62-1	52 55 58 61	Frequen 5 8 12 13 11	<u>ncy</u>						
A)	0.98		B)	3.85		C)	2.57	D) 1.86	

132) A random sample of 30 high school students is selected. Each student is asked how many hours he or she spent on the Internet during the previous week. The results are shown in the histogram. Estimate the sample standard deviation.



SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

133) For the data below, find Pearson's index of skewness. The data set: The systolic blood pressures of 20 randomly selected patients at a blood bank.

13012011513213612411914598110125120115130140105116121125108

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- - a) If a constant value k is added to each value, how will the standard deviation be affected?
 - b) If each value is multiplied by a constant k, how will the standard deviation be affected?
 - $1.1 \quad 5.2 \quad 3.6 \quad 5.0 \quad 4.8 \quad 1.8 \quad 2.2 \quad 5.2 \quad 1.5 \quad 0.8$
 - A) The standard deviation will not be affected.
 - B) The standard deviation will be multiplied by the constant k.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

135) In a random sample, 10 students were asked to compute the distance they travel one way to school to the nearest tenth of a mile. The data is listed below. Compute the coefficient of variation.

 $1.1 \quad 5.2 \quad 3.6 \quad 5.0 \quad 4.8 \quad 1.8 \quad 2.2 \quad 5.2 \quad 1.5 \quad 0.8$

132)

133)

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Find the coefficient of variation for each of the two sets of data, then compare the variation. Round results to one decimal place.

- 136) Listed below are the systolic blood pressures (in mm Hg) for a sample of men aged 20-29 and for a 136) sample of men aged 60-69. Men aged 20-29: 118 124 129 118 131 123 Men aged 60-69: 131 151 137 125 164 139 A) Men aged 20-29: 4.2% Men aged 60-69: 8.1% There is substantially more variation in blood pressures of the men aged 60-69. B) Men aged 20-29: 7.2% Men aged 60-69: 4.6% There is more variation in blood pressures of the men aged 20-29. C) Men aged 20-29: 4.6% Men aged 60-69: 10.5% There is substantially more variation in blood pressures of the men aged 60-69. D) Men aged 20-29: 4.4% Men aged 60-69: 10.0 % There is substantially more variation in blood pressures of the men aged 60-69.
 - 137) The customer service department of a phone company is experimenting with two different systems. On Monday they try the first system which is based on an automated menu system. On Tuesday they try the second system in which each caller is immediately connected with a live agent. A guality control manager selects a sample of seven calls each day. He records the time for each customer to have his or her question answered. The times (in minutes) are listed below.

137)

- Automated Menu: 11.2 7.2 4.0 2.9 9.2 6.3 5.5 Live agent: 6.3 2.5 4.8 4.1 3.4 5.2 3.7 A) Automated Menu: 43.7% Live agent: 29.4% There is substantially more variation in the times for the automated menu system. B) Automated Menu: 46.9% Live agent: 31.5% There is substantially more variation in the times for the automated menu system. C) Automated Menu: 24.3% Live agent: 46.2% There is substantially more variation in the times for the live agent.
- D) Automated Menu: 45.3%
- Live agent: 30.5%

There is substantially more variation in the times for the automated menu system.

	Heights	(inches):	59.3	61.2	62.6	64.7	60.1	58.3	64.6	63.7	66.1		
	Weights	s (pounds):	86	97	93	119	96	90	123	98	139		
	A) Height	s: 4.3%											
	Weigh	ts: 17.2%											
	There	is substant	ially r	nore \	/ariati	on in tl	ne wei	ghts tl	han in t	the he	ights of the gii	-ls.	
	B) Height	s: 3.9%											
	Weigh	ts: 15.4%											
	There	is substant	ially r	nore \	/ariati	on in tl	ne wei	ghts tl	han in t	the he	ights of the gii	-ls.	
	C) Height	s: 4.1%											
	0	ts: 16.4%											
			ially r	nore \	/ariati	on in tl	ne wei	ghts tl	han in t	the he	ights of the gii	rls.	
	D) Height												
	•	ts: 6.5%											
	There	is substant	ially r	nore \	/ariati	on in tl	he hei	ghts th	ian in t	he we	ights of the gi	-ls.	
	an appropriat	e response	9.										
rovide a													

67 67 69 70 70 74 75 78 79 79 80 81 83 85 85 87 90 92 95 99 A) Min = 31, $Q_1 = 58$, $Q_2 = 72$, $Q_3 = 83$, Max = 99 B) Min = 31, $Q_1 = 57$, $Q_2 = 70$, $Q_3 = 81$, Max = 99 C) Min = 31, $Q_1 = 58$, $Q_2 = 70$, $Q_3 = 83$, Max = 99 D) Min = 31, $Q_1 = 57$, $Q_2 = 72$, $Q_3 = 83$, Max = 99

140) The weights (in pounds) of 30 preschool children are listed below. Find the five-number summary. 140)

25 25 26 26.5 27 27 27.5 28 28 28.5 29 29 30 30 30.5 31 31 32 32.5 32.5 33 33 34 34.5 35 35 37 37 38 38 A) Min = 25, $Q_1 = 28$, $Q_2 = 30.75$, $Q_3 = 34$, Max = 38 B) Min = 25, $Q_1 = 28$, $Q_2 = 30.5$, $Q_3 = 34$, Max = 38 C) Min = 25, $Q_1 = 27.5$, $Q_2 = 30.5$, $Q_3 = 33.5$, Max = 38 D) Min = 25, $Q_1 = 27.5$, $Q_2 = 30.75$, $Q_3 = 33.5$, Max = 38 D) Min = 25, $Q_1 = 27.5$, $Q_2 = 30.75$, $Q_3 = 33.5$, Max = 38

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

25	25	26	26.5	27	27	27.5	28	28	28.5
29	29	30	30	30.5	31	31	32	32.5	32.5
33	33	34	34.5	35	35	37	37	38	38

MULTIPLE CHOICE. CI	hoose the one alternative th	at best completes the statem	ent or answers the que	stion.
•	levels (in milligrams per dec nge for the cholesterol level c	iliter) of 30 adults are listed b of the 30 adults.	elow. Find the	142)
189 189 190	192 195 198 198 200 2	184 185 200 200		
A) 180	215 220 220 225 238 2 B) 211	C) 30	D) 31	
143) The cholesterol	levels (in milligrams per dec	iliter) of 30 adults are listed b	elow. Find Q ₁ .	143)
154 156 165 189 189 190 205 205 211	192 195 198 198 200	200 200		
A) 180	B) 200	C) 171	D) 184.5	
144) Use the data to	identify any outliers.			144)
35 40 54 65				
69 71 73 74				
80 82 87 90 A) 35, 40	99 B) 35	C) 35, 99	D) None	
145) Use the data to	identify any outliers.			145)
16 25 1 33	15			
5 18 8 20	14			
17 19 16 10				
28 14 37 18			- 1	
A) 1, 37	B) 1, 33, 37	C) 33, 37	D) None	
146) Use the data to	identify any outliers.			146)
15 18 18 19	22 23 24			
24 24 24 25				
28 28 30 32		0) 40 40		
A) 15, 42	B) 42	C) 40, 42	D) None	
SHORT ANSWER. Write	e the word or phrase that be	est completes each statement	or answers the questio	n.
		w. Draw a box-and-whisker	plot that 147	')
represents the o	data.			
31 41 45 48	52 55 56 56 63 65			
	70 74 75 78 79 79			

31

80 81 83 85 85 87 90 92 95 99

148) The cholesterol levels (in milligrams per deciliter) of 30 adults are listed below. Draw a box-and-whisker plot that represents the data.


154156165165170171172180184185189189190192195198198200200200205205211215220220225238255265

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

149) Use the box-and-whisker plot below to determine which statement is accurate.

149) _____


148)



- A) About 25% of the adults have cholesterol levels of at most 211.
- B) About 75% of the adults have cholesterol levels less than 180.
- C) One half of the cholesterol levels are between 180 and 197.5.
- D) One half of the cholesterol levels are between 180 and 211.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 150) The midpoints A, B, and C are marked on the histogram. Without calculating, match them 150) with the indicated z-scores. Which z-scores, if any, would be considered unusual?
 - z = 0 z = -1.33 z = 2.01



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


151) Find the z-score for th A) z = -4.25	ne value 62, when the mea B) z = 0.73	an is 79 and the standard o C) z = -0.73	deviation is 4. D) z = -4.50	151)
to program, and you h final test that was give and 3, respectively, ar trainee in question rec	nnel department of a firn have been requested to re en to all trainees. The mean and the distribution of scor eived a score of 77. Comp	n that just finished training view the performance of c an and standard deviation es is bell-shaped and sym pute the trainee's z-score.	g a group of its employees one of the trainees on the of the test scores are 81 metric. Suppose the	152)
A) z = -0.91	B) z = -1.33	C) z = 1.33	D) z = 0.91	
at a randomly selected	dard deviation equal to 2	.7 minutes. You listen to the rve that the amount of adv	ne radio station for 1 hour,	153)
A) z = 2.22	B) z = -0.49	C) z = -2.22	D) z = 0.49	
student gets a 65 on th	ry class had a mean of 79 ass had a mean of 69 wit	with a standard deviation h a standard deviation of the physics test. Calculate	of 4.5. Test 154) _ 3.7. Suppose a	

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

mathematics part of	s part of the SAT the mean is f the ACT the mean is 20.6 w 7 on the ACT. Use z-scores t	ith a standard deviatio	n of 5.1. Bob scores a 660	155)
, 0	or twins are normally distrib ms. Use z-scores to determ		8	156)
A) 2353 g	B) 3647 g	C) 2000 g	D) 1200 g	
157) The ages of 10 grooi	ms at their first marriage are	listed below. Find the	midquartile.	157)
35.1 24.3 46.6 41	1.6 32.9 26.8 39.8 21.5	45.7 33.9		
A) 34.5	B) 34.1	C) 34.2	D) 43.7	


158) ____

158) The graph below is an ogive of scores on a math test.



Use the graph to approximate the percentile rank of an individual whose test score is 70.

A) 53	B) 75	C) 80	D) 58
-------	-------	-------	-------





		weig perc			•	าds) (of 30	oresch	nool c	hildr€	en are	listed below.	Which w	eights are below the	163)
_			26	26.			27 2		28 2		3.5				
			30	30		30.5				2.5 32					
3				34.			35 3	7 :	37 3	8 38	3				
						27,2		_				B) 25, 25, 26			
	C)	25,	25,	26,2	26.5,	27,2	27, 27.	5				D) 25, 25, 26	, 26.5, 27	, 27, 27.5, 28, 28	
							t quiz of 12?) stud	ents. ⁻	The so	cores are listed	l below.	What percentile	164)
							10	1/ 0							
2		8 1(13) 7	15	5 16	5 12		14 9				C) 40		D) 25	
65) lı	A) nao	13 data	set	with	han	ninin	B) num N	12 /alue	of 54.			ximum value	of 98.6 v	D) 25 vith 300 observations,	165)
65) li	A) n a d here	13 data	set	with	han	ninin	B) num N nan 8	12 /alue	of 54.			,	of 98.6 v		165)
65) li ti 66) T	A) n a c here A)	13 data are 62 chole	set 186	with poi	h a n ints l	ninin less ti s (in	B) num N nan 8 B) millig	12 /alue 1.2. F 71	of 54. Ind th	e per ecilite	centile	ximum value e for 81.2. C) 53		vith 300 observations,	165) 166)
65) lı tl 66) T tl	A) n a c here A) The c hat c	13 data are 62 chole	set 186 este	with poi rol I	h a n ints l	ninin less ti s (in	B) num N nan 8 B) millig sterol	12 value 1.2. F 71 rams	of 54. Ind th per d of 19	e per ecilite	centile	ximum value e for 81.2. C) 53		vith 300 observations, D) 68	, <u> </u>
165) i ti 166) T ti 1	A) n a c here A) The c hat c	13 data are 62 chole	set 186 este espo	with poi rol I onds	h a n ints level s to c	ninin less ti s (in chole:	B) num N nan 8 B) millig sterol	12 value 1.2. F 71 rams level	of 54. Ind th per d of 19	e pere ecilite 5.	centile er) of (ximum value e for 81.2. C) 53		vith 300 observations, D) 68	, <u> </u>
165) II tl 166) T tl 1 1	A) n a c here A) The c hat c 154	13 data are 62 chole corre	set 186 este espo 16	with poi rol I pnds 55	h a n ints level s to c 165 192	ninin less ti s (in chole: 170 195	B) num v nan 8 B) millig sterol 171 198	12 value 1.2. F 71 rams level 172	of 54. Ind th per d of 199 180 200	e pero ecilite 5. 184	centile er) of 3 185	ximum value e for 81.2. C) 53		vith 300 observations, D) 68	, <u> </u>


SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


167) A student's score on the SAT-1 placement test for U.S. history is in the 90th percentile.	167)	
What can you conclude about the student's test score?		


1) A
2) D
3) C
4) D
5) Class width = 5, Lower class limits: 1, 6, 11, 16, 21, 26; Upper class limits: 5, 10, 15, 20, 25, 30
6) Class width = 31, Lower class limits: 80, 111, 142, 173, 204, 235; Upper class limits: 110, 141, 172, 203, 234, 265
7) D
8) A
9) a) Class with greatest relative frequency: 105-115 mm Hg
Class with least relative frequency: 145-155 mm Hg
b) Greatest relative frequency ≈ 0.35
Least relative frequency ≈ 0.03
c) Approximately 0.08














17) B

, 18)


GPA |Frequency|Midpoint|Relative Frequency|Cumulative Frequency

0.5-0.9	4	0.7	0.10	4
1.0-1.4	2	1.2	0.05	6
1.5-1.9	7	1.7	0.175	13
2.0-2.4	9	2.2	0.225	22
2.5-2.9	2	2.7	0.05	24
3.0-3.4	10	3.2	0.25	34
3.5-3.9	2	3.7	0.05	36
4.0-4.4	4	4.2	0.10	40




Height (in inches) Frequency Relative Frequency Cumulative Frequency


5 , ,	1 5	1 5	
67.0-68.4	6	0.20	6
68.5-69.9	5	0.167	11
70.0-71.4	13	0.433	24
71.5-72.9	2	0.067	26
73.0-74.4	4	0.133	30







24)




25) 26)

Speed (in mph) Frequency Relative Frequency Cumulative Frequency

•				
33-	- 35	3	0.10	3
36-	- 38	6	0.20	9
39-	- 41	6	0.20	15
42-	-44	6	0.20	21
45-	- 47	3	0.10	24
48-	-50	6	0.20	30


27)



44

29) a) See graph below

- b) The minimum score = 14
- c) The university will accept 76.57% of the applicants.



30) Class limits determine which numbers can belong to that class. Class boundaries are the numbers that separate classes without forming gaps between them.

31) B

32) Key: 0 | 4 = 4

 $\begin{array}{c|cccc} 0 & 4 & 8 \\ 1 & 0 & 5 \\ 2 & 5 \\ 3 & 3 & 6 & 6 \\ 4 & 0 & 0 & 9 \\ 5 & 0 \\ 6 & 3 & 4 & 6 \end{array}$

Most of these years he hit 36 or more home runs. 33) Key: 1|6 = 16

Most of these years he hit between 33 and 49 home runs.


34) B


35) D

36) Key: 6 | 7 = 67
6 | 7 7 8 8 8 8 9 9 9 9 9
7 | 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 3 3 4 4


Most of these males had heights of 70 or more inches. 37) Key: $3 \mid 3 = 33$

Most of the motorists were going 40 - 49 miles per hour. 38) B







43)



47





In general, there appears to be a relationship between the home runs and batting averages. As the number of home runs increased, the batting averages increased.




In general, there appears to be a relationship between the absences and the final grades. As the number of absences increased, the students' final grades decreased.








It appears the percent of U.S. adults who smoke is declining.




It appears the number of deaths peaked in 1950. 50)






NCAA Men's Basketball Winning Streaks





52)

World's Largest Subway Systems



53) Key: 12 | 7 = 127






It appears the number of alcohol-related fatalities is gradually declining.

- 58) The graph distorts the data because the the vertical scale starts at 60 rather than 0, giving the impression of a large difference in the number of accidents, when actually the number of accidents only varies from 90 to 120. To make the graph less misleading, change the vertical scale so that it begins at 0 and increases in increments of 20.
- 59) A
- 60) C
- 61) A
- 62) D
- 63) B 64) C
- 65) C
- 66) A
- 67) A
- 68) A
- 69) mean 63, median 64, mode 65
- 70) C
- 71) B
- 72) mean: 97; median 103
- 73) mean: 37; median: 35.5; The median best represents the data because the mean is affected by the outlier (73) which causes a gap in the distribution.
- 74) B
- 75) A
- 76) A
- 77) C
- 78) mean: \$489,415; median: \$265,664; The median represents the data better because the mean is affected by the outlier (\$2,194,246) which causes a gap in the distribution.
- 79) B
- 80) B
- 81) A
- 82) A
- 83) D
- 84) μ represents a population mean and \overline{x} represents a sample mean.
- 85) The median is found by calculating the mean of the two middle data entries. The middle entries cannot be found unless the data entries are first ordered.

86) No, the mean is not a good representation of the center. The mean score is 78, and 9 of the scores are better than this. 87) No, the mode is not a good representation of the center. The mode score is 66, and 9 of the scores are better than this. 88) D 89) A 90) B 91) A 92) A 93) B 94) A 95) D 96) B 97) D 98) C 99) C 100) C 101) B 102) $\sigma = 1.42$, $\sigma^2 = 2.01$ 103) range = 4.4, s = 1.8, s² = 3.324104) C 105) C 106) A 107) Battery Type B has less variation. As a result, it is less likely to fail before its mean life is up. 108) Sosa: $\bar{x} = 0.279$ and s = 0.033; Bonds: $\bar{x} = 0.312$ and s = 0.027. Bonds is more consistent since his standard deviation is less. 109) The bulbs with the lower standard deviation are more consistent and it is easier to plan for their replacement. 110) C 111) D 112) B 113) B 114) D 115) A 116) D 117) A 118) C 119) C 120) B 121) At least 75% of the heights should fall between 58.6 in. and 68.6 in. 122) (56.1, 71.1) 89% of the heights are between 56.1 and 71.1 inches. 123) A 124) D 125) C 126) D 127) A 128) D 129) D 130) B 131) B 132) C 133) $\overline{x} = 121.7$, s = 11.82, P = 0.31. Since $-1 \le P \le 1$, there is no significant skewness.



161) A
162) D
163) C
164) C
165) A
166) A
167) The student's score was higher than the scores of 90% of the students who took the test.