



Chapter 2: Hydrocarbon Frameworks – Alkanes

- 1. Alkanes are characterized by the general molecular formula: A) C_nH_{2n-2} B) C_nH_{2n} C) C_nH_{2n+2} D) C_nH_{2n+4} Ans: C
- 2. Cycloalkanes are characterized by the general molecular formula: A) C_nH_{2n-2} B) C_nH_{2n} C) C_nH_{2n+2} D) C_nH_{2n+4} Ans: B
- 3. The carbon-carbon sigma bond in ethane is formed by overlap of which two orbitals?
 A) 2p-2p B) sp-sp C) sp²-sp² D) sp³-sp³
 Ans: D
- 4. What is the IUPAC name of the following compound?



A) 4,4-dimethylpentaneB) 1-tert-butylpropane

- C) 2,2-dimethylpentane
- D) 1,1,1-trimethylbutane
- 5. The correct IUPAC name of the following compound is



- A) 2-ethyl-3,5-dimethylheptane.
- B) 6-ethyl-5,5-dimethylheptane.
- C) 3,4,4-trimethyloctane.
- D) 5,5,6-trimethyloctane.

Ans: C

Ans: C

Page 16

6. The common name of the following group is

8. The correct IUPAC name of the following is

$$\begin{array}{c} CH_3 \\ | \\ H_3C-CH-CH_2-CH-CH_2-CH_2-CH_2-CH_3 \\ | \\ CH_3 \\ H_2C-CH_3 \end{array}$$

A)	2,4,7-trimethylnonane.	C)	7-ethyl-2,4-dimethyloctane.
B)	3,6,8-trimethylnonane.	D)	2-ethyl-5,7-dimethyloctane.
Ans:	А		


9. What is the IUPAC name of the following?

$CH_{2}CH_{3}\\ H_{3}CH_{2}CH_{2}CH_{2}CH_{2}CHCHCH_{3}\\ H_{2}CH_{2}CH_{3}\\ H_{2}CH_{3}$

- A) 5,6-diethylhexane
- B) 2,3-diethylhexane
- C) 5-ethyl-6-methylheptane
- D) 4-ethyl-3-methylheptane

Ans: D

10. What is the IUPAC name of the following?



- A) 1-ethyl-4.4-dimethylcyclopentane
- B) 1-ethyl-3,3-dimethylcyclopentane
- Ans: C

- C) 3-ethyl-1,1-dimethylcyclopentane
- D) 4-ethyl-1,1-dimethylcyclopentane
- 11. Cyclohexane is composed of
 - A) methine groups.
 - B) methylene groups.
 - Ans: B

D) both methine and methylene groups.


methyl groups.

- 12. All the carbons in cyclopentane are
 - A) primary carbons.
 - B) secondary carbons.
 - Ans: B

C) tertiary carbons.


C)

- D) quaternary carbons.
- 13. The correct name of the following compound is



- A) (1-methylpropyl)cyclohexane.B) (2-methylpropyl)cyclohexane.
- Ans: B

- C) (2,2-dimethylethyl)cyclohexane.
- D) (2,2-dimethylpropyl)cyclohexane.
- 14. The correct IUPAC name of the following compound is




- C) 2-cyclopentylheptane.
- D) 1-cyclopentyl-2-heptane.
- B) (1-pentylethyl)cyclopentane.Ans: C
- 15. The C—C sigma bond in acetylene is formed by the overlap of which two orbitals?

 $H-C\equiv C-H$

A) 2p-2p B) sp-sp C) sp^2-sp^2 D) sp^3-sp^3 Ans: B

- 16. The boiling point of isobutane $(-10.2^{\circ}C)$ is lower than *n*-butane $(-0.4^{\circ}C)$ because isobutane has
 - A) weaker intermolecular van der Waals forces.
 - B) stronger intermolecular van der Waals forces.
 - C) weaker dipole-dipole attractive forces.
 - D) stronger dipole-dipole attractive forces.
 - Ans: A
- 17. Which of the following are constitutional isomers?



18. Arrange the following isomeric alkanes in order of increasing boiling point.I. *n*-heptaneII. 2,3-dimethylpentane

- Ans: D
- 19. The oxidation states of carbon range from A) 0 to +2. B) 0 to +4. C) -4 to 0. D) -4 to +4. Ans: D
- 20. Which of the following has(have) a higher oxidation state of carbon than the carbon in formaldehyde, H₂C=O?
 I. CH₃OH
 II. HCO₂H
 III. H₂CO₃
 A) I B) III C) II and III D) I, II, and III
 Ans: C


21. The *tert*-butyl group can also be called

A) 1,1-dimethylpropyl.B) 1,1-dimethylethyl.

- C) 2,2-dimethylpropyl.
- 1,1-dimethylethyl.
- Ans: B

D) 2,2-dimethylethyl.

22. Carbon atoms 1, 2, and 3 in the following structure are classified, respectively, as



- A) tertiary, primary, secondary.
- B) quaternary, primary, tertiary.
- Ans: D

- C) quaternary, secondary, secondary.
- D) quaternary, secondary, tertiary.
- 23. Identify the isomer of C_6H_{14} that only has primary and tertiary carbons.
 - A) hexane
 - B) 2,2-dimethylbutane
 - C) 3-methylpentane
 - D) 2,3-dimethylbutane
 - Ans: D
- 24. Why can heats of combustion of constitutional isomers of hydrocarbons be used to measure their stabilities?
 - I. Combustion of constitutional isomers gives different final states.
 - II. Combustion of constitutional isomers gives the same final states.
 - III. Constitutional isomers of hydrocarbons have the same potential energies.
 - IV. Constitutional isomers of hydrocarbons have different potential energies.
 - A) only I B) only II C) I and III D) II and IV Ans: D
- 25. The heats of combustion $(-\Delta H^{\circ})$ of heptane and 3,3-dimethypentane are 4,817 and 4,809 kJ/mol, respectively. Which statement is true?
 - A) Heptane is 8 kJ/mol more stable then 3,3-dimethylpentane.
 - B) 3,3-Dimethylpentane is 8 kJ/mol more stable than heptane.
 - C) Stabilities cannot be compared since they are not isomers.
 - D) Stabilities cannot be compared since they give different combustion products.


Ans: B

26. The reaction of acetylene with hydrogen gas is shown below. Which statements are true concerning the reaction?

$$H-C\equiv C-H + 2H_2 \xrightarrow{Pd(cat.)} H_3C-CH_3$$

I. Acetylene is oxidized to ethane.
II. Acetylene is reduced to ethane.
III. Carbon changes oxidation state from -1 to -3.
IV. Hydrogen (from H₂) changes oxidation state from 0 to +1.
A) I and III B) II and IV C) I, III, and IV D) II, III, and IV
Ans: D

- 27. How many methine groups are there in isopropylcyclopentane?A) one B) two C) three D) fourAns: B
- 28. What is the total number of constitutional isomers with the formula C₅H₁₂?A) twoB) threeC) fourD) fiveAns: B
- 29. What is the IUPAC name of the following?



6-isopropyl-3-methylnonane C) 2-ethyl-5-isopropyloctane

- B) 6-propyl-3-methylnonane
- Ans: A

A)

- D) 2-ethyl-5-propyloctane
- 30. How many moles of O₂ gas would be consumed in the complete combustion of 0.100 mole of C₅H₁₂?
 A) 0.100 mole O₂ B) 0.400 mole O₂ C) 0.800 mole O₂ D) 1.60 mole O₂ Ans: C
- 31. The systematic name of the following group is


$$\begin{array}{c} H_{3}C-CH-CH_{2}-CH_{2}-CH-\\ \\ H_{3}\\ H_{2}C-CH_{3} \end{array}$$

A)5-ethyl-2-methylpentyl.C)6-methyl-3-heptyl.B)1-ethyl-4-methylpentyl.D)2-methyl-5-heptyl.

Ans: B

Page 21


32. What is the relationship between the two structures below?



- B) resonance forms
- C) constitutional isomers
- D) different compounds with different compositions

Ans: C


33. What is the IUPAC name of the following structure?



A) 3-propylpentaneB) 3-ethylhexaneC) 2-ethylheptaneD) 4-ethylpentaneAns: B


34. Which of the following are constitutional isomers?
I. 2,3,3-dimethylhexane
II. 2,2-diethylpentane
III. 3-ethyl-2-methylheptane
A) I and II B) I and III C) II and III D) they are all constitutional isomers
Ans: A

35. What is the estimated C—C—C bond angle in the following model?



A) 90° B) 109.5° C) 120° D) 180° Ans: C


36. What are the hybridizations of carbon atoms 2, 3, and 4 shown in the model below?



A) sp, sp², sp² B) sp, sp², sp³ C) sp, sp, sp² D) sp, sp, sp, sp³ Ans: D


- 37. Arrange the following hydrocarbons in order of increasing boiling point.
 I. pentane
 II. 2,2-dimethylpropane
 III. 2-methylbutane
 A) I < II < III B) I < III < II C) II < I < III D) II < III < I
 Ans: D
- 38. The 1,1-dimethylethyl group, -C(CH₃)₃, can also be called A) butyl. B) isobutyl. C) *sec*-butyl. D) *tert*-butyl. Ans: D

39. What is the relationship between the following two structures?




- 41. The geometry of sp³ hybrid orbitals can be described as pointing towards the corners of a
 A) triangle. B) square. C) tetrahedron. D) square pyramid.
 Ans: C
- 42. What is the Cl—C—Cl bond angle in CCl₄?
 A) 60° B) 90° C) 109.5° D) 120°
 Ans: C
- 43. Which of the following has the lowest boiling point?A) pentane B) 2,2-dimethylpropane C) 2-methylbutane D) hexane Ans: B

44. The shortest and longest carbon-carbon bonds, respectively, in this molecule are:




A) II and III B) IV and III C) I and IV D) IV and I Ans: D

- 45. How many isomers of C₆H₁₄ are possible?A) four B) five C) six D) sevenAns: B
- 46. Which of the molecules below is NOT an isomer of formula C_6H_{14} ?




47. What is the molecular formula of methane?



A) $C_{10}H_{16}$ B) $C_{10}H_{18}$ C) $C_{10}H_{19}$ D) $C_{10}H_{20}$ Ans: B

48. How many isomers of C₄H₉Cl are possible?A) twoB) threeC) fourD) fiveAns: C

- 49. The smallest straight-chain alkane that is liquid at room temperature and atmospheric pressure isA) propane. B) butane. C) pentane. D) hexane.Ans: C
- 50. The lowest-boiling isomer of C_7H_{16} would be



51. The C—C—C bond angle in propyne, shown below, is

H₃C−C≡CH A) 90°. B) 109.5°. C) 120°. D) 180°. Ans: D

52. The hybridization of carbon atoms 1, 2, and 3 in the following are, respectively

$$H_2C=CH-CH_3$$

 1
 2
 3

 A) sp, sp, and sp².
 C) sp², sp², and sp³.

 B) sp, sp, and sp³.
 D) sp², sp³, and sp³.

 Ans: C
 C

53. How many *pi* bonds are present in the following structure?

H₂C=CH-C \equiv N A) one B) two C) three D) four Ans: C

54. The carbon-carbon single bond in the following is formed by the overlap of which two orbitals?

 $H_2C=CH-C\equiv N$

A) sp-sp B) sp²-sp C) sp²-sp² D) sp²-sp³ Ans: B