

Ch02

True/False

Indicate whether the statement is true or false.

1.	You can	develop	PHP	scripts	with any	version	of Window	/S

- 2. PHP and MySQL are commercial applications.
- 3. You can install open-source software from binary format or source code.
- 4. To compile versions of programs for Windows, you must have access to Microsoft Visual Basic.
- 5. Source code for most UNIX/Linux programs is written in the C programming language.
- 6. To be a successful Web developer, you must be able to install and compile programs from source code.
- 7. Open source software documentation depends on the work of volunteers.
- 8. IIS is the most popular Web server software used on the Internet.
- 9. IIS can be installed on any operating system.
- 10. When you install Apache on UNIX or Linux operating systems, the application starts and stops automatically.
- _____ 11. The configure command prepares your system for installation for Apache.
- _____ 12. Apache does not run on the Windows operating system.
- _____ 13. You can use the Monitor Apache Services icon to stop, start, and restart Apache on Windows.
- _____ 14. IIS is available for the Windows XP Home operating system.
- _____ 15. A local computer uses the 127.0.0.1 IP address to refer to itself.
- _____ 16. When opening a Web page from a Web server, you must open it from the Web server itself, not as a file in your Web browser.
- _____ 17. You can access Apache's default Web page with http://localhost/, but not http://127.0.0.1/.
- _____ 18. Port 90 is reserved for HTTP communications.
- _____ 19. Two Web servers cannot share the same port.
- _____ 20. Lines that begin with the pound sign (#) are components that affect Apache's configuration.
- 21. Binary format refers to compiled files, such as executable installation programs.

- _____ 22. Source code is the original programming code in which an application was written.
- 23. Before you can use source code, it must be uncompiled.
- _____ 24. Compiled programs need to be recompiled only when their code changes.
- _____ 25. Apache, MySQL, and PHP are examples of open source software.
- _____ 26. Apache runs on most operating systems, including Windows Me.
- _____ 27. Apache is used on about a third of today's Web sites.
- _____ 28. When you install Apache or IIS on Windows, each Web server is installed as a service.
- _____ 29. When a Web server is installed, localhost is the name a local computer uses to refer to itself.
- _____ 30. The PHP configuration file is named php.ini.

Multiple Choice

Identify the choice that best completes the statement or answers the question.

- _ 31. Before you use source code, it must be _____.
 - a. compiled
 - b. compressed
 - c. executed
- _____ 32. A term used with the Windows operating systems to refer to a program that performs a specific function to support other programs is a _____.
 - a. server
 - b. service
 - c. application

33. In TCP/IP, a _____ represents the endpoint of a connection between a client and a server.

- a. host
- b. server
- c. port
- _____ 34. If you assign a Web server to a port other than 80, you need to specify the number in the URL by appending the _____ with colon to localhost or 127.0.0.1
 - a. domain name
 - b. domain identifier
 - c. port number
- _____ 35. In the Apache Web server, ______ define information about how a program should be configured.

- a. URLs
- b. domains
- c. directives

____ 36. To configure ports and other settings for Apache after installation, you must edit the _____ file.

- a. httpd.localhost
- b. httpd.port
- c. httpd.conf
- _____ 37. In _____ directory names are case sensitive.
 - a. Windows XP
 - b. UNIX/Linux
 - c. Mac OS X
- _____ 38. In Apache, you use the _____ directive to identify other directories that Apache can use to serve Web pages.
 - a. alias
 - b. configure
 - c. localhost
- _____ 39. You configure IIS with the _____ window.
 - a. Internet Information Servers
 - b. Internet Information Services
 - c. Internet Information Serving
- 40. You can specify a _____ that IIS uses to serve Web pages.
 - a. virtual directory
 - b. virtual service
 - c. virtual disk
- _____ 41. A virtual directory in IIS is equivalent to a(n) _____ in Apache.
 - a. port
 - b. alias
 - c. folder
- 42. Before installing PHP, you need to install a _____.
 - a. Web browser
 - b. Web server
 - c. Source code
 - 43. Before installing PHP on UNIX and Linux systems, you might need to log in as the _____ to ensure that you have the permissions to perform the necessary tasks.
 - a. administrator
 - b. server
 - c. root user

44. After you install PHP, you need to configure _____ to use it.

- a. Windows XP
- b. Apache
- c. IIS

_____ 45. You configure PHP by modifying the _____ configuration file.

- a. php.ini
- b. localhost.ini
- c. php.com
- _____ 46. You can edit the configuration file with any _____ editor.
 - a. binary
 - b. text
 - c. HTML

_____ 47. In the PHP configuration file lines that begin with _____ are information comments that do not affect PHP's configuration.

- a. pound signs (#)
- b. semi-colons (;)
- c. exclamation points (!)

48. Unlike other databases that are installed as applications, on UNIX/Linux systems, MySQL is installed as a

- a. host
- b. service
- c. server

_ 49. Unlike other databases that are installed as applications, on Windows systems, MySQL is installed as a

a. host

.

- b. service
- c. server

50. The MySQL AB group recommends that you install MySQL from a(n) _____ installation.

- a. binary
- b. source code
- c. executable

51. When you install MySQL on a Windows system, you control the MySQL server manually by using the application in the Control Panel.

- a. Servers
- b. Applications
- c. Services

- 52. In Windows, you can also administer the MySQL server from the _____ using various programs located in the \bin directory.
 - a. browser window
 - b. application window
 - c. command line

53. The _____ command includes several options for testing your MySQL server.

- a. mysqladmin
- b. mysqlhost
- c. mysqlconfig

_____ 54. JavaScript and PHP are both called _____ because code for both languages is embedded in a Web page.

- a. programming languages
- b. embedded scripting languages
- c. programming languages

_____ 55. A Web page document containing PHP code must have an extension of _____.

- a. html
- b. htm
- c. php

Completion

Complete each statement.

- 56. You type PHP code directly into a _____.
- 57. Whenever a request is made for a document with the extension of ______, the Web server sends the file to the scripting engine for processing.
- 59. PHP code is never sent to the client's _____.
- 60. You write PHP scripts within ______, which are separate sections within a Web page that are interpreted by the scripting engine.
- 61. You can use ______ types of declaration blocks to write PHP.
- 62. A ______ is a character or sequence of characters used to mark the beginning and end of a code segment.
- 63. The individual lines of code that make up a PHP script are called ______.
- 64. You can use whatever ______ you want for your PHP scripts, provided that you Web server is configured to process the extensions you use with the scripting engine.

- 65. PHP, like many other programming languages, requires you to end all statements with a
- 66. Just as Web browsers ignore white space in an HTML or XHTML document, the scripting language ignores white space within ______.
- 67. For better readability, you should place the script delimiters and each statement within a code block on separate ______.
- 68. The PHP Group officially recommends that you use the standard PHP script delimiters to write
- 69. Using standard PHP script delimiters is the only method that is completely compliant with
- 70. If you have worked with JavaScript or another client-side scripting language, you should be familiar with the <script>_____.
- 71. With client-side scripting the ______ attribute of the <script> element tells the browser which client-side scripting language is being used.
- 72. When the <script> element is used with ______, you do not need to include the type attribute.
- 73. The <script> element's language attribute is ______ in XHTML.
- 74. A simplified method of writing PHP code declaration blocks is to use the ______ <? and ?> delimiters.
- 75. Your PHP scripts will not work if your Web site is hosted by an ISP that does not support short
- 76. Some Web developers prefer to use the ______-style script delimiters of <% and %> to develop PHP scripts.
- 77. ASP-style script delimiters are compliant with XHTML, but not with _____
- 78. The term ______ refers to a procedure that performs a specific task.
- 79. The statement that calls a function is referred to as a ______.
- 80. Many functions can accept multiple _____, which you should separate with commas.

Essay

- 81. Why should you check with your ISP when you're building a Web development environment?
- 82. What are the four types of code declaration blocks you can use to write PHP?

83. Why should you avoid using short PHP script delimiters?

Ch02 Answer Section

TRUE/FALSE

1.	ANS:	F	PTS:	1	REF:	52
2.	ANS:	F	PTS:	1	REF:	52
3.	ANS:	Т	PTS:	1	REF:	53
4.	ANS:	F	PTS:	1	REF:	53
5.	ANS:	Т	PTS:	1	REF:	53
6.	ANS:	Т	PTS:	1	REF:	54
7.	ANS:	Т	PTS:	1	REF:	55
8.	ANS:	F	PTS:	1	REF:	56
9.	ANS:	F	PTS:	1	REF:	56
10.	ANS:	F	PTS:	1	REF:	56
11.	ANS:	Т	PTS:	1	REF:	57
12.	ANS:	F	PTS:	1	REF:	58
13.	ANS:	Т	PTS:	1	REF:	60
14.	ANS:	F	PTS:	1	REF:	60
15.	ANS:	Т	PTS:	1	REF:	61
16.	ANS:	Т	PTS:	1	REF:	61
17.	ANS:	F	PTS:	1	REF:	62
18.	ANS:	F	PTS:	1	REF:	63
19.	ANS:	Т	PTS:	1	REF:	64
20.	ANS:	F	PTS:	1	REF:	64
21.	ANS:	Т	PTS:	1	REF:	53
22.	ANS:	Т	PTS:	1	REF:	53
23.	ANS:	F	PTS:	1	REF:	53
24.	ANS:	Т	PTS:	1	REF:	53
25.	ANS:	Т	PTS:	1	REF:	55
26.	ANS:	F	PTS:	1	REF:	56
27.	ANS:	F	PTS:	1	REF:	56
28.	ANS:	Т	PTS:	1	REF:	56
29.	ANS:	Т	PTS:	1	REF:	61
30.	ANS:	Т	PTS:	1	REF:	70

MULTIPLE CHOICE

31.	ANS:	А	PTS:	1	REF:	53
32.	ANS:	В	PTS:	1	REF:	56
33.	ANS:	С	PTS:	1	REF:	63
34.	ANS:	С	PTS:	1	REF:	63
35.	ANS:	С	PTS:	1	REF:	64
36.	ANS:	С	PTS:	1	REF:	64
37.	ANS:	В	PTS:	1	REF:	65

38.	ANS:	А	PTS: 1	REF:	65
39.	ANS:	В	PTS: 1	REF:	66
40.	ANS:	А	PTS: 1	REF:	67
41.	ANS:	В	PTS: 1	REF:	67
42.	ANS:	В	PTS: 1	REF:	68
43.	ANS:	С	PTS: 1	REF:	69
44.	ANS:	В	PTS: 1	REF:	71
45.	ANS:	А	PTS: 1	REF:	72
46.	ANS:	В	PTS: 1	REF:	72
47.	ANS:	В	PTS: 1	REF:	72
48.	ANS:	С	PTS: 1	REF:	73
49.	ANS:	В	PTS: 1	REF:	73
50.	ANS:	А	PTS: 1	REF:	73
51.	ANS:	С	PTS: 1	REF:	77
52.	ANS:	С	PTS: 1	REF:	78
53.	ANS:	А	PTS: 1	REF:	78
54.	ANS:	В	PTS: 1	REF:	79
55.	ANS:	C	PTS: 1	REF:	79

COMPLETION

56. ANS: Web page

		10		
57.	PTS: ANS:	l .php	REF:	79
58.		1 HTML or XH	REF: TML	79
59.		1 Web browser	REF:	79
60.		1 code declaration	REF: on bloc	
61.	PTS: ANS:		REF:	80
	PTS: ANS:	1 delimiter	REF:	80
63.	PTS: ANS:	1 statements	REF:	80
	PTS: ANS:	1 extensions	REF:	80
	PTS:	1	REF:	80

65.	ANS:	semicolon		
66.	PTS: ANS:	1 code blocks	REF:	81
67.	PTS: ANS:		REF:	81
68.	PTS: ANS:	1 code declaratio	REF: on bloc	
69.	PTS: ANS:	1 XML	REF:	81
70.	PTS: ANS:	1 element	REF:	81
71.	PTS: ANS:		REF:	83
72.	PTS: ANS:		REF:	83
73.	PTS: ANS:	1 deprecated	REF:	83
74.	PTS: ANS:		REF:	84
75.	PTS: ANS:	1 script delimite	REF: rs	85
76.	PTS: ANS:		REF:	85
77.	PTS: ANS:		REF:	86
78.	PTS: ANS:	1 function	REF:	87
79.	PTS: ANS:	1 function call	REF:	88
80.	PTS: ANS:	1 arguments	REF:	88
	PTS:	1	REF:	88

ESSAY

81. ANS:

The ISP may already provide access to installations of PHP and MySQL on your ISP's Web server. Even if you don't have an account with an ISP, you should install the necessary software on your local computer so you can develop your PHP scripts before transferring them to your ISP.

PTS: 1 REF: 52

82. ANS:

The four types of code declaration blocks are:

- 1. Standard PHP script delimiters
- 2. The <script> element
- 3. Short PHP script delimiters
- 4. ASP-style script delimiters
- PTS: 1 REF: 80
- 83. ANS:

Standard PHP script delimiters are guaranteed to be available on any Web server that supports PHP. Also, standard PHP script are the only method that is completely compliant with XML

PTS: 1 REF: 81