


TEST BANK



Chapter 02 Motion

1. Imagine an experiment in which a 8 lb bowling ball and a 10 lb bowling ball are dropped from a building's fifth floor window at the same time. The heavier ball will reach the ground first.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 4. Analyze

Gradable: automatic

Section: 02.04

Topic: Gravity

2. When you roll a ball across the floor, it comes to a stop because you are no longer exerting a force on it.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 4. Analyze

Gradable: automatic

Section: 02.03

Topic: Inertia

3. An object accelerates when it slows or its direction of movement changes.

TRUE

Accessibility: Keyboard Navigation

Bloom's Level: 2. Understand

Gradable: automatic

Section: 02.02

Topic: Kinematics

4. A car traveling at 20 mph on a curved exit ramp has a constant velocity.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.02

Topic: Kinematics

5. Newton's second law states that if an unbalanced force acts on an object, it will move at constant velocity.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.06

Topic: Newton's laws

6. The reason a moving object slows down is that its force of motion gradually runs out.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 4. Analyze

Gradable: automatic

Section: 02.03

Topic: Inertia

7. The momentum of an object remains the same unless an unbalanced force acts on it.

TRUE

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.07

Topic: Momentum

8. Astronauts experience a weightless condition when they are in orbit.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 4. Analyze

Gradable: automatic

Section: 02.09

Topic: Gravity and Motion

9. The force of gravity near the surface of Earth is 9.8 m/s^2 .

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 2. Understand

Gradable: automatic

Section: 02.04

Topic: Gravity and Motion

10. The attractive force a 70 kg person exerts on Earth is much, much smaller than the force Earth exerts on the person.

FALSE

Accessibility: Keyboard Navigation

Bloom's Level: 4. Analyze

Gradable: automatic

Section: 02.06

Topic: Newton's laws

11. In the equation $\bar{v} = \frac{d}{t}$, \bar{v} represents

- A.** average speed.
- B. instantaneous speed.
- C. final speed.
- D. constant speed.

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.02

Topic: Kinematics

12. Ignoring air resistance, the velocity of a falling object

- A. is constant.
- B.** is constantly increasing.
- C. increases for a while, then becomes constant.
- D. depends on the mass of the object.

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.04

Topic: Gravity and Motion

13. The tendency of a moving object to remain in unchanging motion in the absence of an unbalanced force is called

- A.** inertia.
- B. free fall.
- C. acceleration.
- D. impulse.

Accessibility: Keyboard Navigation

Bloom's Level: 2. Understand

Gradable: automatic

Section: 02.03

Topic: Inertia

14. A heavy object and a light object are dropped from rest at the same time on a planet with no air (vacuum). The heavier object will reach the ground

- A. before the lighter object.
- B.** at the same time as the lighter object.
- C. after the lighter object.
- D. It depends on the shape of the object.

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.04

Topic: Gravity and Motion

15. Gravity is an attractive force between

- A. all massive objects.
- B. Earth and objects on Earth.
- C. Earth and Moon, and objects on Earth.
- D.** all objects everywhere.

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.09

Topic: Newton's laws

16. The newton is a unit of

- A. motion.
- B. energy.
- C. power.
- D.** force.

Accessibility: Keyboard Navigation

Bloom's Level: 2. Understand

Gradable: automatic
Section: 02.06
Topic: Newton's laws

17. The weight of a 50 kg box is closest to
- A. 5 N.
 - B. 50 N.
 - C. 500 N.**
 - D. 5000 N.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Weight and mass

18. The pound is an English unit of measure; its SI counterpart is the
- A. newton.**
 - B. kilogram.
 - C. joule.
 - D. momentum.

Accessibility: Keyboard Navigation
Bloom's Level: 3. Apply
Gradable: automatic
Section: 02.06
Topic: Weight and mass

19. Suppose that a rock tied to a string is swinging in a circle. If the string length is increased so that the length doubled but the same speed is maintained, then the force now exerted on the string is
- A. the same as before.
 - B. doubled.
 - C. half as great.**
 - D. four times as great.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.08
Topic: Circular motion

20. A skateboarder pushes on the ground with her foot. She and the skateboard accelerate down the sidewalk due to the force
- A. she exerts against the ground.
 - B. between the skateboard wheels and the ground.
 - C. the ground exerts against her foot.**
 - D. of gravity acting on the skateboard.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Newton's laws

21. If an unbalanced force applied to an object doubles, then
- A. its velocity doubles.
 - B. its acceleration doubles.**
 - C. its acceleration is cut in half.
 - D. its acceleration increases by a factor of four.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Newton's laws

22. Everything that happens in the universe can be traced to interactions of
- A. matter and gravity.
 - B. light and matter.
 - C. four fundamental forces.**
 - D. gravity waves and light.

Accessibility: Keyboard Navigation
Bloom's Level: 3. Apply
Gradable: automatic
Section: 02.02
Topic: Forces

23. The mass of a 100 N sack of seed is closest to
- A. 10 kg.**
 - B. 10 lb.

- C. 98 kg.
- D. 1,000 kg.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Weight and mass

24. A block of iron is transported to the Moon. Which of the following is true?

- A. both its mass and weight remain unchanged.
- B. its mass decreases, but its weight remains the same.
- C.** its mass remains the same, but its weight decreases.
- D. both its mass and weight decrease.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Weight and mass

25. From the equation $w = mg$, it is apparent that weight is a(an)

- A.** force.
- B. mass.
- C. acceleration.
- D. None of the above.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Weight and mass

26. If you double the mass of an object while an unbalanced force remains constant,

- A. the object moves at half the speed.
- B. the acceleration of the object is doubled.
- C. the object will gradually slow down.
- D.** The acceleration of the object is halved.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.06
Topic: Newton's laws

27. If you consider the total distance and total time for a trip, you are calculating a(an)

- A. instantaneous speed.
- B. constant speed.
- C.** average speed.
- D. nonuniform speed

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.02
Topic: Kinematics

28. To hit a golf ball farther, you should "follow through the swing" because

- A. this increases the force.
- B. momentum is conserved.
- C.** of the relationship $p = Ft$.
- D. momentum is mv .

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.07
Topic: Momentum

29. A heavy cannon ball and a lighter bowling ball were dropped at the same time from the top of a building. At the instant before the balls hit the sidewalk, the cannon ball has greater

- A. velocity.
- B. acceleration.
- C.** momentum.
- D. All of these are the same for the two balls.

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Gradable: automatic
Section: 02.07
Topic: Momentum

30. A 250 g ball travels at a velocity of 40 m/s. Its momentum is

A. 4 kg•m/s.

B. 10 kg•m/s.

C. 160 kg•m/s.

D. 10,000 kg•m/s.

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply

Gradable: automatic

Section: 02.07

Topic: Momentum

<u>Category</u>	<u># of Questions</u>
Accessibility: Keyboard Navigation	30
Bloom's Level: 2. Understand	4
Bloom's Level: 3. Apply	10
Bloom's Level: 4. Analyze	16
Gradable: automatic	30
Section: 02.02	5
Section: 02.03	3
Section: 02.04	4
Section: 02.06	11
Section: 02.07	4
Section: 02.08	1
Section: 02.09	2
Topic: Circular motion	1
Topic: Forces	1
Topic: Gravity	1
Topic: Gravity and Motion	4
Topic: Inertia	3
Topic: Kinematics	4
Topic: Momentum	4
Topic: Newton's laws	7
Topic: Weight and mass	5