

# TEST BANK



5TH EDITION

## WEB DEVELOPMENT AND DESIGN FOUNDATIONS WITH XHTML



TERRY FELKE-MORRIS

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

Multiple Choice. Choose the best answer.

1. What tag pair is used to create a new paragraph?

- a. **<new paragraph> </new paragraph>**
- b. **<paragraph> </paragraph>**
- c. **<p> </p>**
- d. **<para> </para>**

2. What tag pair is used to create the largest heading?

- a. **<h1> </h1>**
- b. **<h9> </h9>**
- c. **<h type="smallest"> </h>**
- d. **<h6> </h6>**

3. Which tag is used to force the browser to display the next text or element on a new line?

- a. **<new line />**
- b. **<p>**
- c. **<br />**
- d. **<line />**

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

4. What attribute can be used to center an element (such as a paragraph) on a web page?

- a. format
- b. align
- c. justify
- d. none of the above

5. Choose the true statement below.

- a. The content that displays in the browser is contained in the head section.
- b. The content that displays in the browser is contained in the body section.
- c. Information about the web page is contained in the body section.
- d. All of the above are true.

6. What type of XHTML list will automatically place a number in front of the items?

- a. numbered list
- b. ordered list
- c. unordered list
- d. definition list

7. What type of XHTML list will automatically place a bullet point indicator in front of each item?

- a. bullet list
- b. ordered list
- c. unordered list
- d. definition list

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

8. What type of XHTML list would be good to use to display a list of terms and their definitions?

- a. bullet list
- b. ordered list
- c. unordered list
- d. definition list

9. What tag pair contains the items in an ordered or unordered list?

- a. **<item> </item>**
- b. **<li> </li>**
- c. **<dd> </dd>**
- d. none of the above

10. Choose the tag pairs that are used in a definition list.

- a. **<dt> </dt>**
- b. **<dl> </dl>**
- c. **<dd> </dd>**
- d. all of the above

11. Choose the tag pair configures text to be indented from both the left and right margins.

- a. **<blockquote>.. </blockquote>**
- b. **<p>.. </p>**
- c. **<h1>.. </h1>**
- d. all of the above

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

12. Choose the special character that is used to indicate a blank space.

- a. **&blank;**
- b. **&nbsp;**
- c. **&copy;**
- d. none of the above

13. Choose the preferred tag pair to use when emphasizing text.

- a. **<i>...</i>**
- b. **<strong>...</strong>**
- c. **<em>...</em>**
- d. none of the above

14. Choose the preferred tag pair to use when displaying text in bold font.

- a. **<bold>...</bold>**
- b. **<strong>...</strong>**
- c. **<big>...</big>**
- d. none of the above

15. Choose the tag pair that is use to link web page documents to each other.

- a. **<link>** tag
- b. **<hyperlink>** tag
- c. **<a>** tag
- d. **<body>** tag

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

16. When do you need to use a fully qualified URL in a hyperlink?
- a. when creating a link to the same web page
  - b. when linking to a page in another folder on the same site
  - c. when linking to a page on an external web site
  - d. never
17. Select the function of an e-mail link from the choices below.
- a. automatically send you an e-mail message with the visitor's e-mail address as the reply-to field
  - b. launch the default e-mail application for the visitor's browser with your e-mail address as the recipient
  - c. display your e-mail address so that the visitor can send you a message later
  - d. link to your mail server
18. Choose the best-designed link from below.
- a. `<a href="news.htm">Click to read our important news!</a>`
  - b. Click to read our `<a href="news.htm">important news!</a>`
  - c. `<a href="news.htm">Important News</a>`
  - d. `<a href="news.htm">Click here to read our important news</a>`
19. The text contained between title tags is:
- a. Not displayed by browsers
  - b. Displayed in the title bar of the browser window
  - c. Not used by search engines
  - d. Never seen by your web page visitor.
20. The `<meta />` tag is coded in the \_\_\_\_\_ section of a Web page document.
- a. body
  - b. header

Web Development & Design Foundations with XHTML  
Instructor Materials Chapter 2 Test Bank

c. footer

d. DOCTYPE

Answers.

1. c

2. a

3. c

4. b

5. b

6. b

7. c

8. d

9. b

10. d

11. a

12. b

13. c

14. b

15. a

16. c

17. b

18. c

19. b

20. b

